

Introductory Lectures: The Nature and History of Cognitive Science

Chapter 1: Scientific Treatments of Physical Domains

By Dr. Charles Wallis

Last Revision 1/10/2017

Chapter Outline

1.1 Questions, Answers, and Frameworks: The Development of Scientific Treatments of Domains

1.1.a Ontological Frameworks

1.1.b Fundamental Categories, Dynamical Interactions, and Attributions

1.1.c Changes in Fundamental Categories: Fundamental Forces

1.1.d Selecting Domains

1.2 Paradigms and Paradigmatic Cases

1.2.a Kuhn's Use of the Concept of Paradigms

1.3 Paradigms as Frameworks

1.3.a Eight Elements of Paradigms

1.3.a.1 Categorizations

1.3.a.2 Operationalizations

1.3.a.3 Theoretic Models (Theories)

Dynamical

Attributional

1.3.a.4 Data Accumulation

1.3.a.5 Developing Experimental Traditions

1.3.a.6 Explanatory Schemas

1.3.a.7 Generalized Solution Strategies

1.3.a.8 Accepted Partial-Potential Models & Success Criteria

1.4 Applying the Eight Elements to the Development of Oscillating Systems Theory

1.4.a Theories as Models: The Ideal Pendulum Law

1.4.b Categorization

1.4.c Operationalization

1.4.d Data Accumulation

1.4.e Explanatory Schemas

1.4.f Accepted Partial Potential Models and Success Criteria

1.5 Cognitive Science as Science

1.5.a The Ontological Framework of Cognitive Science

1.5.b Cognitive Science is Interdisciplinary

1.5.c Disciplinary Convergence

1.5.d The Central Aim of Cognitive Science

1.5.e Integration of Four Different Theoretical Models

1.5.f Understanding When Models Converge and Diverge

1.6 Key Terms








1.7 Bibliography

1.1 Questions, Answers, and Frameworks: The Development of Scientific Treatments of Domains

All human beings spend some time wondering about the nature of the world, their own nature, and how the two fit together. Asking such questions marks the beginning of rational inquiry. However, questioning in itself is not inquiry. Inquiry requires adopting a framework—adopting answers to certain basic questions—in order to use those answers as the foundation of one's inquiry. For example, science itself represents an answer to

questions about the sorts of experiences that can count as evidence, how one ought to categorize phenomena, the sorts of dynamical relationships constitutive of an adequate treatment of phenomena, the manner in which one ought to test dynamical hypotheses, etc.. Indeed, scientific knowledge differs from religion or commonsense, for example, in that science insists upon adopting a framework within which researchers address questions regarding phenomena through highly controlled, repeatable experimentation. In the case of cognitive science theorists seek answers to their questions at many levels of description and across several academic disciplines. In order to pursue this goal, and like any other science, cognitive scientists work within a framework that adopts common answers to certain central questions.

Before turning to cognitive science specifically, this chapter outlines a general picture of the products and processes of science. This general framework provides students with a perspective on the nature of science (and specifically of cognitive science) allowing them to better understand the process of scientific development as well as the specific details of current theories. The general understanding of scientific processes and products that this chapter and lectures introduce structures the presentation of material

			
Ronald Giere	Thomas Kuhn July 18, 1922 - June 17, 1996	Frederick Suppe February 22, 1940 -	
			
Patrick Suppes March 17, 1922 -	Bas Van Fraassen April 5, 1941 -	Robert Cummins	Nancy Cartwright January 24, 1944 -

throughout the text and lectures. The central idea behind the account offered in this chapter is that scientific treatments emerge from what I call **ontological frameworks**. This emergence of a scientific domain only occurs once the elements of an ontological framework become sufficiently developed and rigorous, creating strong, systematic ties between its categorizations and the

phenomena in the domain. The account given here no doubt seems somewhat superficial to the more sophisticated, and many philosophers might disagree with various elements. Nevertheless, I offer it as a useful schema for understanding science and the scientific process.

I adapt the central ideas in this exposition primarily from the ideas and approaches in [Robert Cummins](#),¹⁻⁴ [Nancy Cartwright](#),^{5, 6} [Ronald Giere](#),⁷⁻¹⁰ [Thomas Kuhn](#),¹¹⁻¹³ [Frederick Suppe](#),¹⁴⁻¹⁶ [Patrick Suppes](#),¹⁷⁻¹⁹ and [Bas Van Fraassen](#).²⁰⁻²² Interested readers should look to their more sophisticated and thoughtful accounts for a fuller treatment of the issues discussed here.


1.1.a Ontological Frameworks

Cooperative investigation and theorizing requires formulating and agreeing upon basic ideological and methodological constraints within which researchers conduct inquiry. Thus, a prerequisite for any theorizing involves researchers formulating (and achieving a rough consensus within their community) a general framework for understanding the nature of a domain and its phenomena. Perhaps the most fundamental

presupposition of any inquiry, therefore, concerns what I call an **ontological framework**. Ontological frameworks act to constrain and focus investigation in large part by providing a set of fundamental categories, generalized relationships, and methodological practices within which one can formulate meaningful questions and propose theoretic answers to those questions. For instance, most people do not think that logically impossible situations can serve as counterexamples to a theory. So, when told that circles consist of sets of points equidistant from a center point on a Euclidean plane, it strikes people as irrelevant to object, “but what if the circle is a square?” Thus, philosophers generally agree upon the constraint that counterexamples to theories must pass the minimum standard of logical possibility. Similarly, scientists accept that statistically significant findings must meet the minimum standard of .95 probability--meaning the probability of the experimental result occurring by chance alone must be no greater than .05.

1.1.b Fundamental Categories, Dynamical Interactions, and Attributions

An important part of understanding science and scientific practice involves recognizing that scientific practice **does not** represent an alternative methodology for thinking about the world. Rather, scientific practices build upon features and methods found in cognition generally. Indeed, though the categorizations and relations in a mature science usually differ significantly from everyday categorizations and relations, scientific treatments




of domains often begin within the ontological framework used by ordinary people in everyday life. For example, early investigations into the domain of thermodynamics started with the ordinary notions of hot and cold. As a result, theorists did not distinguish between heat and temperature. However, researchers discovered that it takes different amounts of energy to raise different materials to the same temperature. Eventually theorists distinguished between temperature and heat, where the latter refers to energy and is measured in joules. Distinguishing between temperature and heat allows physicists predict that, for instance, adding heat to ice so as to melt it does not immediately raise the temperature of the ice. Instead, the energy initially acts to trigger what physicists call a “phase change” “phase transition” during which heat energy breaks the rigid hexagonal bonds between water molecules (the ice melts) resulting in liquid water.²³⁻²⁵

Both psychology and biology have similar roots in ordinary categorizations. Humans naturally differentiate objects in the world into the categories of living from non-living entities; they likewise differentiate and understand phenomena using these terms as well. In fact, people can develop a deficit for naming non-living things, while remaining relatively unimpaired in naming living things. Indeed, the very structure of the brain’s semantic memory provides the basis for some of this asymmetry.²⁶⁻²⁹ Likewise, humans appear to manifest an innate disposition to categorize objects and phenomena into mental and non-mental entities and/or phenomena.³⁰⁻⁴⁵ This disposition to think about the world in terms of mental and non-mental entities occurs even in early, automatic, unconscious perceptual processing. To wit, the white lines imposed upon the (below) picture of the painting, “After Ilya Repin, They Did Not Expect Him (aka An Unexpected Visitor, 1884),” represent the path of visual eye movements (saccades) of subjects during undirected scanning. Saccades

correspond to the points to which the visual system attends when viewing the painting. Notice that the faces of the people receive the greatest number of saccades during the viewing period.⁴⁶⁻⁴⁸ In essence, the viewer's eye movements suggest that the visual system strongly distinguishes between mental and non-mental elements of the scene and relies heavily upon information about the mental entities to interpret the scene.

Indeed, cognitive processes based upon a mental/non-mental distinction manifest themselves very early in development. For instance, faces strongly attract visual attention (saccades). The human visual system's preference for faces occurs at the very earliest stages of scene perception when the brain selects objects to which it will attend. This preference for faces manifests itself by 3 months in human infants—suggesting an



innate disposition to find faces visually salient (important/noticeable).⁴⁹⁻⁵² Likewise, humans automatically and unconsciously process information regarding the emotional states and motor intentions of other people during vision. As a result, "mind blindness" is one of the most significant pathologies associated with autistic spectrum disorder.³⁰⁻⁴² Humans, moreover, monitor and interact with other people using a vast array of automatic and unconscious processes.^{45, 53-55} In short, the human disposition to categorize the world into mental and non-mental results—at least partially—from a variety of innate, automatic, and unconscious cognitive processes. All of these cognitive processes are based upon the adoption of the categories of mental and non-mental for the purposes of visual processing.

As the lectures and text repeatedly emphasize, philosophical and scientific theories of the mind throughout history attempt to understand (and either to affirm or to deny) the real-world basis of this innate tendency of human categorization. Do the categories of mental and non-mental cut the world at a joint? That is, does the distinction marked by the mental versus non-mental categorization correspond to a real and important distinction in the world? Must any adequate theory of the number and nature of the universe's basic kinds recognize the existence of mental and non-mental objects, properties, etc.? Within the framework of specific answers to such questions philosophers and scientists strive to systematically formulate, observe, and theorize about mental phenomena and entities. Theorists likewise seek to characterize mental phenomena and entities and the place of such mental phenomena and entities in relationship to physical phenomena and entities. In other words, if these categories mark a fundamental and real distinction between kinds, what relationship(s) do these kinds have to one another?

All of the thinkers in this text and in this course explicitly or implicitly adopt and theorize within this most basic of constraints upon inquiry—an ontological framework. Specifically, **fundamental categories** tend to specify the kinds of things and the kinds of changes considered legitimate (real) within a given ontological framework. Part of this chapter outlines how theorists utilize the categories, types, and interrelationships of an ontological framework to specify a domain of inquiry and to formulate theories and test theories. Finally, the chapter discusses how ontological frameworks transition from a position of high salience early in inquiry to the status of a rather amorphous and neglected theoretic purlieu within more advanced inquiry.

As a scientific treatment of a domain develops, the period during which ontological frameworks play the most significant role, and seem most conspicuous, is during the early stages of inquiry or during significant upheavals in inquiry (like periods sometimes characterized as scientific revolutions). As the chapters on the development of philosophical and psychological theories of cognition make manifest--philosophical and scientific theorists throughout history have devoted a great deal of their energy towards understanding how best to categorize mental phenomena and towards understanding the place of mental phenomena in relationship to physical phenomena. Do the mental and the physical constitute distinct kinds of things—fundamental categories--or do they fall into a single kind? Do the processes and changes operant in the dynamic temporal evolution of mental phenomena differ fundamentally from the processes and changes driving the temporal evolution of physical phenomena? One can find similar questions and debates regarding the proper ontological framework for understanding the nature of living vs non-living things and the relationship between organic and inorganic processes in the development of biology. We'll return to this issue in the chapters on the development of philosophical and psychological theories of mind.

In more developed sciences ontological frameworks recede in prominence as researchers shift their focus from broad framing issues towards the development of specific theories. Nevertheless, ontological frameworks continue to operate as constraints upon theory formulation--by articulating a hypothesis regarding number and the nature of the fundamental categories and their interrelationships for some domain or domains. However, during periods of dramatic theoretical shifts ontological frameworks often return to prominence as researchers reexamine even the most basic presuppositions of their science. For example, the rise of quantum mechanics represents a change in physical theories—a change that challenged many of the tacit, but widely and deeply held tenets of the ontological framework that had guided physics since the renaissance. Einstein's famous proclamation in his 1926 letter to Max Born concerns ontological frameworks—not specific theoretic details:⁵⁶

Quantum mechanics is certainly imposing. But an inner voice tells me that it is not yet the real thing. The theory says a lot, but does not really bring us any closer to the secret of the 'old one'. I, at any rate, am convinced that He is not playing at dice. (p.90)

For Einstein the inherently probabilistic nature of much of quantum mechanics violated an important constraint--physical theories must be mechanistic and deterministic. That is, theories must specify mechanisms through which dynamic change occurs and theories must make exact, definitive predictions. Indeed, the nature of the disagreement between Einstein and Born comes most clearly into focus in Einstein's 1950 letter, where he states that:⁵⁶

I see from the last paragraph of your letter that you, too, take the quantum theoretical description as incomplete (referring to an ensemble). But you are after all convinced that no (complete) laws exist for a complete description, according to the positivistic maxim *esse est percipi*. Well, this is a programmatic attitude, not knowledge. This is where our attitudes really differ. For the time being, I am alone in my views as Leibniz was with respect to the absolute space of Newton's theory. There now, I've paraded my old hobby-horse once again. But it is your own fault, because you provoked me. (pp. 188-9)

Fundamental categories consist of the set of categories considered essential and ineliminable to any adequate account of the phenomena in some domain. These categories further constrain the sorts of **attributions** and







The modern periodic table. From: [Wikipedia](https://en.wikipedia.org/wiki/Periodic_table)

dynamical interactions theorists can utilize. In chemistry the [periodic table](#) provides an excellent example of fundamental categories.⁵⁷⁻⁵⁹ The table organizes all known chemical elements (fundamental categories) giving several definitive attributes such as their atomic number (number of protons). Likewise, each column organizes elements within the same group, i.e., elements having the same electron configurations. Colors also categorize elements in terms of attributions. For instance, in this

table, light blue indicates that the element is a [noble gas](#)—a colorless, odorless, single-atom gases.⁵⁷⁻⁶⁰ Colors also indicate potential dynamical interactions; noble gases like Helium tend not to react chemically with other elements under normal conditions and have similar melting and boiling points. So, in part, one can distinguish ontological frameworks by how they categorize domains as well as the attributions they allow for fundamental categories and dynamical interactions they allow between those fundamental categories. Prior to special and general relativity, for instance, physicists consider space and time to be distinct elements of the universe. After general relativity, space and time become a single element space/time. Similarly, the ontological framework of modern physics includes the category of force. Thus, modern physicists claim that adequate theories of physical phenomena must include forces.

The category of forces illustrates some important aspects of an ontological framework. First, **some of the elements of an ontological framework prove less central than, even dependent upon, other elements.** Indeed, modern physics recognizes two general categories of forces. On the one hand, physicists appeal to “contact forces.” **Contact forces** transfer energy by direct mechanical contact. For example, friction is such a force. On the other hand, physicists also posit the category of “fundamental forces.” **Fundamental forces**

(sometimes called field forces or interactive forces) constitute the current hypothesis as to the number and nature of essential and ineliminable forces in modern physics. Thus, contact forces prove dependent upon

			
Hans Christian Ørsted (1777–1851) From: Wikipedia	Michael Faraday (1791–1867) From: The History Of Surgery	Sir Humphry Davy (1778-1829) From: Wikipedia	James Clerk Maxwell (1777–1851) From: Your Paintings
			
Diagram A illustrating how both contact and fundamental forces operate in pendulums. Since all contact forces result from fundamental forces acting on objects, the pendulum’s swing as well as the contact pressure that results in the drag at the arm pivot result from the fundamental force of gravitation (in red). The contact force, friction (in light blue), operates at the pendulum arm pivot resulting from the surface drag during the swing of the pendulum.		Diagram B Picture of “A small (~6mm) piece of pyrolytic graphite levitating over a permanent neodymium magnet array (5mm cubes on a piece of steel). Note that the poles of the magnets are aligned vertically and alternate (two with north facing up, and two with south facing up, diagonally).” This is an example of diamagnetism. Description and picture from: Wikipedia Click on image to play a video of this effect from Youtube	

fundamental forces in that all contact forces ultimately result from fundamental forces acting on objects. For example, friction at the pivot of a pendulum results from the surfaces dragging against one another during the swing of the pendulum (see Diagram A above). The swing itself as well as the contact pressure that results in the drag (the frictional contact force) comes from gravitation (a fundamental force).

Currently physicists recognize four fundamental forces; [gravitation](#),⁶¹ [electromagnetism](#),⁶² [strong nuclear force](#),⁶³ and [weak nuclear force](#).⁶⁴ All force not directly generated by fundamental forces involves the transfer of a fundamental force through one or more contact forces. Thus, fundamental forces occupy a central position in the ontological framework of physics, while contact forces—though important in understanding phenomena like pendulum motion--operate only in conjunction with fundamental forces.

1.1.c Changes in Fundamental Categories: Fundamental Forces

So, the distinction between contact and fundamental forces illustrates how some of the elements of an ontological framework prove less central than, even dependent upon, other elements. Fundamental forces also illustrate a second important point regarding ontological frameworks; **the elements and properties of an ontological framework can change as inquiry progresses**. In the history of physics, the number and nature of fundamental forces can and has increased and decreased as physical theories change over time. Prior to [James Clarke Maxwell’s](#)⁶⁵ publication of “On Physical Lines of Force,” in 1861 and [Treatise on Electricity and](#)

Magnetism in 1873^{66, 67} physicists treat electric force and magnetic force as separate fundamental forces. Today, however, physicists posit a single force in relation to both electric and magnetic phenomena--the electromagnetic force.







Diagram depicting electromagnetic induction from [The Encyclopedia of Science](#)
Link to java applet illustrating electromagnetic induction: [Molecular Expressions](#)



Picture of a device to create a Faraday Effect: the Signal Processor/Lock-In Amplifier (SPLIA1-A). From: [Teachspin](#)



Video of homemade homopolar engine Click to view video. From: [Youtube](#)



Faraday's magnet and apparatus for creating the Faraday Effect. From: [The Physics Hypertextbook](#)




Diagram of light rotation polarization due to Faraday effect. From: [Wikipedia](#)

What brought about the change? Physics begins by treating electric and magnetic phenomena as unrelated and as clearly differentiated. As a consequence, physicists propose electric and magnetic forces in explaining the respective phenomena. However, as time goes by physicists begin to notice relationships between electric and magnetic forces. Maxwell's book represents a synthesis of work that begins around 1820 with the Danish chemist and physicist [Hans Christian Ørsted](#).⁶⁸ Ørsted reports his discovery that an electric current can deflect a compass needle in his *Experimenta Circa Effectum Conflictus Electrici in Acum Magneticam* in 1820.⁶⁹ Ørsted's observation represents the first systematic experimental evidence for a relationship between electric and magnetic phenomena.

The next significant contribution to the unification of electric and magnetic forces comes from the work of [Michael Faraday](#),⁷⁰ an English chemist and physicist. Faraday attends a lecture given by the English chemist [Humphry Davy](#).⁷¹ Faraday is so impressed with Davy, Faraday seeks employment in Davy's lab. Faraday submits a letter together with a 300 page book based upon notes from Davy's lectures. Davy hires him, first as a secretary, and later as an assistant. In 1821 as the Superintendent of House and Laboratory of the Royal Institution, Faraday designs experiments that result in the [homopolar motor](#)⁷² (an electric motor with a fixed magnetic polarity). In 1831 he designs experiments that reveal [electromagnetic induction](#)⁷³ (the flow of an electric current through a conducive medium [like a wire] by changing the electric field). 1845 finds Faraday discovering [diamagnetism](#)⁷⁴ (the property of some materials to create an opposing magnetic field when one applies a magnetic field to that material; see diagram B on page 8 below), as well as designing experiments that show that magnetic forces can affect light ([the Faraday Effect](#)).⁷⁵ Faraday also argues that electric phenomena result from a single kind of electricity and that electromagnetic forces extend beyond the physical conductor. His contemporaries reject much of his work, in part because he lacks the mathematical knowledge to express his theories mathematically.^{70, 76, 77}


Finally, Maxwell publishes his [Treatise on Electricity and Magnetism](#) that includes four laws.⁶⁷ Together these laws form the basis of classical electrodynamical theory. One of the laws expresses Faraday's results on electromagnetic induction. Maxwell's work unifies electric, magnetic, and light phenomena, showing these diverse phenomena result from the same entity, electromagnetic fields traveling through space as waves and moving at the speed of light. As a result, the ontological framework of physics changes by combining electric and magnetic forces.

In summary, ontological frameworks provide structure and constraints upon inquiry by forwarding a hypothesis regarding number and nature of the fundamental categories for some domain. Fundamental categories serve in an ontological framework as the essential and ineliminable elements in any adequate account of the phenomena in some domain. Ontological frameworks also constrain the sorts of attributions and dynamical interactions theorists can utilize to explain phenomena. For instance, fundamental forces like gravitation can interact with objects directly as well as indirectly through contact forces like friction. Thus, the category of fundamental forces also specifies the sorts of allowable dynamical interactions between forces and between forces and objects. Fundamental forces like gravity constrain attributions as well. Physicists attribute gravitational attraction to all objects having mass and measure this attraction in units like the kilopond (kp), which is equal to the force exerted by one kilogram in $1g$ (9.80665 m/s^2 the standardized average of Earth's gravity). As the example of forces in physics illustrates, some of the elements of an ontological framework prove less central, even dependent upon, other elements. Likewise, the nature and number of elements of an ontological framework can change as inquiry progresses.

1.1.d Selecting Scientific Domains

In addition to selecting an ontological framework, theorists must also select a set of phenomena that they suppose constitute a **scientific domain**. How do scientists determine what counts as a domain? The answer I propose to this question no doubts runs contrary to many people's views. I suggest that the process of defining a scientific domain begins when researchers identify potential domains of interest--that is, domains in which the phenomena appear to exhibit both a unity and a regularity that is of interest to theorists. The unities and regularities needed to highlight a set of phenomena as a potential domain for scientific treatment

can manifest themselves in the **dynamical interactions** (how elements of the phenomena interact with one another) and/or the development of domain elements over time (e.x. changes in the properties exhibited by




objects, properties, events, or relations within the domain). Unified and regular dynamic interactions give rise to **dynamical theoretical models**. **Attributional theoretical models**, on the other hand, capture unity or regularity manifested as attributes of

objects, events, or relations within the domain.

A simple example of a unity or regularity manifested in attributes of an object is the rate of radioactive decay for various elements. Scientists identify several “classical” types of **radioactive decay**.⁷⁸ In the most common type of decay a part of the atom’s nucleus breaks away resulting in a loss of energy and the transmutation of the atom from one kind of element to another kind of element.⁷⁸ For instance, uranium decays through a series of steps into lead. Scientists quantify radioactive decay using the measure of a **half-life**.^{79, 80} The half-life of a given element consists of the time that it takes for half of the atoms of a given element to decay. The half-life of an element is a regularity that the element manifests, and about which scientists create attributional models.

So, attributional models either assign attributes to phenomena or articulate the underlying basis for various attributes of phenomena. What about dynamical theoretic models? Recall that dynamical theoretic models represent the dynamical interactions between elements of some system as the system develops over time.



The **ideal gas law**⁸¹ represents a dynamical theoretic model of the relationship between the pressure, volume, and temperature of a gas. The ideal gas law proves useful for determining how changes in pressure, volume, and temperature affect a gas under a variety of circumstances. In the diagram (left), the law can help to predict how changes in temperature affect volumes of an elastic container like a balloon.

While the nature of the phenomena in a potential domain strongly determine if and how scientists

approach the process of domain building, the interests of scientists, the needs of science and industry, the available experimental techniques, the available modeling tools, and the available data regarding the

phenomena and its relationship to other phenomena all make important contributions in formulating and refining a scientific domain. As we will see, Galileo has different interests, experimental techniques, modeling tools and data when he formulated the [ideal pendulum law](#) than we have today.⁸² He views the ideal pendulum law as an instance of uniform acceleration in a gravitational field. Galileo's experiments seem crude now, his data proves incomplete, and he lacks the sophisticated mathematical techniques available to contemporary physicists. Researchers like [Christiaan Huygens](#),⁸³ [John Harrison](#),⁸⁴ [Henry Kater](#),⁸⁵ and [Léon Foucault](#)⁸⁶ who follow Galileo introduce better experimental techniques and modeling tools. The applications of pendulums in science and industry drive the interests of these later researchers. The changes that these researchers introduce lead to a slow reformulation of the pendulum law and its domain into what contemporary physicists now call oscillating systems theory. How do scientists coordinate all of this? In the next section we look at the central organizational concept for scientific domains proposed in the work of Thomas Kuhn—the paradigm.

1.2 Paradigms and Paradigmatic Cases

The concept of a paradigm occupies a central role in the exposition in this chapter and lectures. Specifically, the notion of a paradigm structures the discussion of how scientists delimit scientific domains and develop theoretical treatments of the phenomena therein. My use of paradigms differs in some ways from Kuhn's use of the term in his writings. Moreover, many theorists object to Kuhn's characterization of paradigms and his use of them in his account of scientific theorizing. Since the term paradigm brings a rather large amount of baggage, I'll take a moment to clarify Kuhn's original notion and use of paradigms as well as to contrast Kuhn's conceptualization and use with my own.

1.2.a Kuhn's Use of the Concept of Paradigms

Thomas Kuhn famously appeals to the notion of a paradigm as the central concept in his account of science.¹¹ Kuhn uses the concept of a paradigm in two general senses: On the one hand, Kuhn thinks of paradigms as exemplars—specific cases of scientific research and theorizing having two important properties. Paradigms prove both “sufficiently unprecedented” and highly successful in treating some class of phenomena. At the same time paradigms exhibit unresolved problems and/or potential, providing the basis for further work to remedy difficulties and extend the central insights. On the other hand, Kuhn thinks of paradigms as frameworks abstracted from those specific cases of scientific research. These frameworks provide the basis for “normal science.” Kuhn uses the term, “Normal science,” as the moniker for those periods in scientific development during which researchers seek to extend the categories, theoretic models, operationalizations, experimental techniques, etc. of a paradigm to new phenomena and to problematic cases. Kuhn characterizes paradigms in both senses as follows:¹¹

Aristotle's *Physica*, Ptolemy's *Almagest*, Newton's *Principia* and *Opticks*, Franklin's *Electricity*, Lavoisier's *Chemistry*, and Lyell's *Geology*—these and many other works served for a time implicitly to define the legitimate problems and methods of a research field for succeeding generations of practitioners. They were able to do so because they shared two essential characteristics. Their achievement was sufficiently unprecedented to attract an enduring group of adherents away from competing modes of scientific activity. Simultaneously, it was sufficiently open-ended to leave all sorts of problems for the redefined group of practitioners to resolve.


Achievements that share these two characteristics I shall henceforth refer to as ‘paradigms’ a term that relates closely to ‘normal science.’ By choosing it, I mean to suggest that some accepted examples of

actual scientific practice--examples which include law, theory, application, and instrumentation together provide models from which spring particular coherent traditions of scientific research. (p.10)

Kuhn elsewhere describes paradigms and their role in the development of sciences—contrasting the role of paradigms in emerging sciences with their role of more mature sciences as follows.¹¹

...somehow, the practice of astronomy, physics, chemistry, or biology normally fails to evoke the controversies over fundamentals that today often seem endemic among, say, psychologists or sociologists. Attempting to discover the source of that difference led me to recognize the role in scientific research of what I have since called "paradigms." These I take to be universally recognized scientific achievements that for a time provide model problems and solutions to a community of practitioners. (p.viii)

In order to minimize terminological confusion, I adopt the convention of using the term **paradigmatic cases** to



pick out paradigms in this sense of specific cases. Such specific (paradigmatic) cases include, at a minimum, three elements: **categorizations** of the targeted phenomena into kinds of objects, properties, events or relations; **operationalizations**—methods, techniques, operations, and/or instruments used to tie categorizations to the phenomena through qualitative or quantitative measurements that prove systematic, inter-subjective, and reliable; and **theoretical models**—structured combinations of categorizations that allow for prediction, retrodiction,

manipulation, and explanation of target phenomena.

On the other hand, Kuhn also refers to paradigms as the shared “rules and standards for scientific practice” (p.11) abstracted from paradigmatic cases and adopted by researchers as definitive of the scientific domain.¹¹ This textbook and lectures uses **paradigm** to designate the general framework that researchers develop around paradigmatic cases for defining a scientific domain and treating the phenomena therein.

Both notions of a paradigm operate in Kuhn’s exposition. However, Kuhn resists any analysis of paradigmatic cases into a set of constitutive concepts, theories, instruments, methodologies, values, and similar explicit and/or tacit commitments. Kuhn acknowledges that elements of paradigmatic cases like concepts, theories, and instruments unite and define researchers within the paradigm as well as delimiting the domain itself. Nevertheless, Kuhn holds that the primary unit of analysis remains the individual paradigmatic cases—not the elements of those cases. Kuhn chooses paradigmatic cases as the basic unit through which one ought to

analyze science because of what he views as the primacy and unity one finds in these cases. Kuhn notes that all or nearly all theorists in a domain recognize the salient paradigmatic cases and they likewise structure their theoretical understanding of the domain around these cases. However, Kuhn suggests that a deeper analysis of paradigmatic cases seeking a common set of tacit constitutive elements inevitably proves problematic due to the tacit nature of these elements together with the variation in understanding and values among individual scientists.

For Kuhn, the tacit, ephemeral, and equivocal nature of doctrine as dictated through paradigmatic cases renders such analyses difficult at best and unhelpful at worst. To understand Kuhn's concerns, one can usefully think of paradigmatic cases on the analogy of perception. All scientists "see" the same paradigmatic cases—just as everyone looking at a face sees the same face. However, people may differ in how they interpret what they see when looking at the face. Likewise, they may be unaware of aspects of their reaction or disagree as to why they react as they do. For instance, people may agree that a face is attractive without agreeing as to why the face is attractive. Some people might cite hair color as a reason for attractiveness, others might emphasize eye color, still others might remark upon complexion, etc.. Moreover, what people cite as making one face seem attractive might differ from what they notice in finding another face attractive. Thus, one might well disparage attempts to analyze attractiveness into some definitive set of elements and their relationships. Kuhn believes that the same lack of unanimity holds true for scientists with regard to paradigmatic cases. Theorists may agree on the importance of certain paradigmatic cases, but differ as to why these cases are important or what features of the cases make them important. Thus, Kuhn doubts the value of generalized analyses of paradigmatic cases, particularly in that he views such analyses as attempts to generate a singular, detailed prescriptive methodology for scientific practice.

1.3 Paradigms as Frameworks

Given Kuhn's views above, the exposition of this chapter and lectures proves decidedly un-Kuhnian. Indeed, the current chapter seeks to highlight several elements of a paradigm in Kuhn's second, framework sense. Specifically, this chapter and lectures outline elements of a paradigm that must come together in order for a paradigmatic case (in Kuhn's first sense of an exemplar) to emerge. These elements likewise structure the presentation of paradigmatic cases in textbooks and the general manner in which theorists seek to further elaborate and refine their treatment of a scientific domain. I defend my deviation from Kuhn by noting three general facts. First, Kuhn himself engages in analyses of paradigms. For instance, Kuhn analyzes and compares paradigmatic cases on the basis of the categorizations they employ. Indeed, Kuhn enjoys a certain infamy in some quarters for arguing that successive paradigms often categorize the same phenomena in ways that prove incommensurable with one another. Second, the analysis of paradigmatic cases does not equate to the formulation of a singular, detailed prescriptive methodology for scientific practice. This second point finds excellent illustration in the third fact: Kuhn's frequent analogy to perception, specifically his comparison of paradigmatic cases to Gestalts—perceptual wholes or unified entities not analyzable to their constitutive components—proves antithetical to his view.

To wit, people's perceptual judgments of facial attractiveness look like Gestalts—judgments having no principled decomposition into constitutive elements and their interrelationships. However, one can find research into perceptual judgments of facial attractiveness beginning in the 1970s. This research provides a deep and useful analysis of the elements that drive people's perception of attractiveness, without producing a singular, detailed prescription for attractive faces. Indeed, despite the apparent disunity in people's accounts

of what makes a face attractive, several physical facial features provide strong constraints upon the perception of attractiveness. For instance, facial characteristics like pupil dilation, averageness (mean values) of features, symmetry of features, skin color, skin texture, as well as gender-specific dimorphisms (two forms distinct in structure within a single species) heavily influence judgments of attractiveness.⁸⁷⁻⁹⁴ Additionally, situational and idiosyncratic factors like familiarity, imprinting during development, hormone levels, fertility cycles in women, major histocompatibility complex dissimilarities (the degree of dissimilarities in immune responses that can prove compatible in an individual resulting from reproduction), peer evaluations, self-perceptions (of attractiveness and personality characteristics), social status, and social learning all modulate impact of physical facial features.^{87, 95-101} This diverse and complex set of factors defies any singular, detailed prescriptive methodology for determining inter-subjective attractiveness ratings. Nevertheless, the depth of insight this research provides into attractiveness judgments together with its unprecedented nature qualifies it, ironically, as a Kuhnian paradigmatic case.



By analogy, I suggest that engaging in a more fine-grained analysis of the elements of typical paradigmatic cases and the ways in which scientists elaborate upon and extrapolate from these cases to develop paradigms can result in significant insight into the formation, presentation, and further development of scientific treatments of specific domains. One need not seek these insights through the formulation of ill-conceived universal and exceptionless prescriptions for scientific practice. One merely needs to take note of the more prominent underlying elements of such cases and the general patterns that tend to emerge as cases coalesce and domains become codified.

Specifically, I analyze paradigms and scientific domains in terms of eight elements. The treatment here remains at the level of relatively superficial generalizations. The analysis, nevertheless, proves sufficiently rich to provide structure for the rest of the chapters in this text.

1.3.a Eight Elements of Paradigms

The first three elements of paradigmatic cases discussed in this chapter provide the basic elements of theories. I'll start by discussing **categorization**—the basic classes into which theorist sort the raw phenomena of a domain. One of the most important differences between ontological frameworks and theoretical treatments of phenomena in a more developed science lies in the systematic, intersubjective, and repeatable methods theorists employ to tie their categorizations to the phenomena. I use the term **operationalization** to describe the techniques used to categorize and measure elements of a domain. This chapter and lectures introduce a characterization of theories as collections of models. Simply stated a **model** is a structured relationship between a set of categories. Models represent the phenomena in the domain in so far as their categories and relationships between those categories systematically map onto the objects, properties, relations, or events in the domain. Operationalizations play a crucial role in establishing that mapping. Experimental traditions further elaborate and verify the integrity of that mapping through careful, systematic, and intersubjectively verifiable tests of that mapping. **Data accumulation** helps to establish the limits of such models, identifies potential problems for models, and identifies potential elaborations and alternative formulations for models. The remainder of this section spells out each of these elements. The next section illustrates these elements in operation through the example of the development of the contemporary domain of oscillating systems theory from the ideal pendulum law.

1.3.a.1 Categorization: Researchers develop categorizations of phenomena allowing them to differentiate types of objects, events, properties, and relations. Categorizations gain generality by divorcing themselves from the fine details of individual cases to unite many instances under a common type (usually on the basis of their shared similarities in certain respects and to certain degrees). People tend to focus upon the representational content of categories. This focus leads to insufficient appreciation for the trade-off between the loss of case-specific information and cognitive economy of commonality essential to the categorization process. For instance, an apple and an olive both fall under the common and very useful biological categorization of fruit: Each is the seed-bearing structure of flowering plants formed from the ovules (female reproductive structure) after flowering and fertilization occurs. However, while many people consider black olives a savory treat, they show markedly less gustatory enthusiasm when presented with black apples--a fact lost in the biological distillation.

	
<p>Animated diagram depicting the variety of objects that unproblematically fall under the general concept of fruit. The concept allows cognizers to categorize their experiences on the basis of certain shared properties for the purposes of solving problems. The cost of such a categorization lies the loss of the case-specific fine details such as size and color Click on diagram to view animation.</p>	<p>Animated diagram depicting a variety of objects that fall under the definition of fruit, but which do not normally or easily get categorized as fruit by typical U.S. cognizers. Click on diagram to view animation.</p>

1.3.a.2 Operationalization: One important feature of ontological frameworks is the looseness of the ties between targeted phenomena in a domain and the categorizations, attributions, and relations comprising the ontological framework. That is, categorizations often exhibit significant vagueness when applied to phenomena; often ontological frameworks exhibit few if any systematic and/or intersubjective methods or rules for applying their categories to phenomena. As the next chapter and lectures emphasize how this looseness of fit between the world and the categories, attributions, and relationships within an ontological framework impedes progress by masking or minimizing problems within the framework. One significant example of such difficulties is labeled “tenuous dualism” in the next chapter and lecture. Thus, one of the more significant factors in the development of a scientific treatment of a domain occurs when researchers develop and refine operationalizations. Operationalizations are methods and tools that facilitate systematic, reliable, and intersubjective categorizations of phenomena. Operationalizations work either qualitatively (yes/no, in/out categorizations) or quantitatively (measurement, increasing/decreasing categorizations). The increased systematic, rigorous, and intersubjective categorizations of operationalizations render both the categories and the theoretic models of a burgeoning science much less vague and much more testable. Qualitative operationalizations allow theorists to apply categorizations in a systematic and intersubjective fashion. Quantitative operationalizations likewise allow for the quantification of categories integral to many

theoretic models. For example, biologists apply a qualitative operationalization process to potential fruits, sorting them into fruits and non-fruits. In contrast, psychologists employ a quantitative operationalization when discussing the typicality rating of fruits—a numerical index of how well a given item matches people’s concepts.

1.3.a.3 Theoretic Models: Researchers analyze phenomena into component categories, utilizing these categories to formulate dynamical and attributional models (i.e., theories). **Dynamical models**, such as the ideal pendulum law discussed below, depict the dynamical evolution of phenomena through time as a function of the interrelationship of component elements. **Attributional models** either assign attributes to phenomena or articulate the underlying basis for various attributes of phenomena. “Water is H₂O” represents one sort of attributional theory. The notion of an attributional model as I employ it in this text serves as an umbrella for a collection of models discussed in greater detail by Cummins.¹

Like the categorizations from which scientists construct theoretic models, theoretic models involve trade-offs. Specifically, models must often trade expressive detail, complexity, and predictive power for tractability, i.e., trade expressive detail, complexity, and predictive power for models with which one can reliably calculate answers given one’s computational resources. To paraphrase Ronald Giere; the most accurate and complete model of the world is the world itself—good luck getting it inside your head and manipulating it in the ways you need to make predictions in a timely fashion.

A historically infamous example of the trade-off between complexity and expressive detail in theoretic models is known as the three-body problem. In Newtonian physics the problem of calculating the motions of three or more bodies from initial data on their positions, masses, and velocities proves non-computable. Specifically, the solution would require solving nine differential equations simultaneously. During the period between 1687, when Newton first discusses the problem, and 1910 physicists and mathematicians develop a number of approximate solutions—usually by introducing simplifying assumptions such as restricting the motion to two dimensions. Interested students can read about the three-body problem on [Wikipedia](#)¹⁰² and [Scholarpedia](#).¹⁰³


1.3.a.4 Data Accumulation: Developing a sufficiently broad and accurate understanding of the actual behavior of the elements of a domain proves integral to categorization and theorizing. Researchers often develop relatively systematic collections of raw observational data describing phenomena in a prospective domain. Such collections can identify regularities at a superficial level without detailing and relating their component elements, or these collections can specify more elaborate analyses of the phenomena. For instance, Galileo reports a superficial regularity when he notes that the motion of pendulums exhibits isochronism.

Isochronism asserts that periodicity remains constant through increases in swing amplitudes and proves crucial to the original adoption of pendulums for clocks. Later Christiaan Huygens refines Galileo’s observations, noting that increases in periodicity become significant when swing amplitude exceeds about 4° to 6°. Cummins calls such collections of data “effects.”^{2, 104} To explain the phenomena categorized as pendulum periodicity Galileo also introduces a more elaborate analysis of pendulum motion when he formulates the ideal pendulum law discussed below.

So, researchers collect and organize data both in their initial investigations and during the course of the further development and elaboration of a domain within a particular paradigm. While this data provides grist for the theoretic enterprise, it also serves to correct misconceptions embodied in ordinary experience, to fill in

holes where ordinary experience rarely strays, and provide regularities for which researchers can seek attributional and dynamical models. Cognitive science provides a profoundly salient and seemingly endless source of examples of how poorly human beings understand how the world actually works. No man I've ever met, for instance, has mentioned how ordinary experience has led him to notice the role that pupil dilation plays in his judgments of facial attractiveness. Nor do average men reflect upon how the role of pupil dilation has changed as they have grown older. Indeed, so profound is human ignorance of how humans actually work that Cummins has only half-jokingly described psychology as more of a gallery of effects than a set of theories.²



1.3.a.5 Developing Experimental Traditions: Researchers likewise develop or adapt experimental methodologies and apparatus to test their models. The set of accepted experimental designs and apparatus constitute an experimental tradition. For example, in order to study memory the Hungarian psychologist [Pál \(Paul\) Ranschburg](#)¹⁰⁵ creates a device, “The Ranschburg Memory Device,” to allow for the controlled visual



presentation of symbols, numbers, words, etc. around 1900. Similarly, to study perception researchers create the [tachistoscope](#)¹⁰⁶ around the mid-1850s. The tachistoscope allows researchers to study, for instance, how long it takes people to recognize objects.

One can find another example of the development and utilization of experimental methodologies in the introduction and proliferation of [null hypothesis testing](#).¹⁰⁷ Null hypothesis testing seeks to accumulate evidence for a target hypothesis, h_t , by testing and rejecting the null hypothesis, h_0 . In a fascinating bit of irony, the hypothesis that theorists test, the null hypothesis, h_0 , consists of the supposition that the suspected causal factor has **no effect**. Indeed, the power of null hypothesis design lies in the fact that—unlike the likelihood of the target hypothesis, h_t --theorists can quite easily calculate the probability that the causal factor in h_t affects the outcome given the null hypothesis, h_0 --it is zero!! For example, suppose that you wish to test the hypothesis that increased pupil dilation increases the level of attractiveness in judgments of facial attractiveness by post-pubescent males. How probable is it that you will see such an effect when you look at the data? It is almost impossible to say before you investigate. However, it is easy to estimate the probability that such males will find the faces of women with dilated pupils more attractive given that pupil dilation has

no effect. The probability of increased attractiveness judgments given no relationship between pupil dilation and attractiveness judgments is zero!

	
<p>Picture of R.A. Fisher. The Wikipedia Biography of R. A. Fisher can be found here: http://en.wikipedia.org/wiki/Ronald_Fisher The Wikipedia page on null hypothesis testing can be found here: http://en.wikipedia.org/wiki/Null_hypothesis_testing</p>	<p>Diagram depicting the structure of null hypothesis experiments. One falsifies the null hypothesis (and gains evidence for the target hypothesis) if the introduction of the suspected causal factor into otherwise identical circumstances alters the outcome by more than the margin of error (generally .05). Imagine creating two cloned Earths. These Earths remain identical in every way except one: On one Earth, E_1, the suspected causal factor proves completely absent (call this the control planet), on the other Earth, E_2, the suspected causal factor is omnipresent (call this the experimental manipulation planet). If the suspected causal factor is not a causal factor (the null hypothesis), samples from the experimental manipulation world should fall within the margin of error of samples from the control world. If the suspected causal factor is a causal factor, samples from the experimental manipulation world should differ from samples from the control world at a rate greater than the margin of error. Click on diagram to view animation.</p>


One gathers evidence for the target hypothesis (not the null) by gaining negative evidence for (i.e. falsifying) the null hypothesis. In null hypothesis experiments the experimenters compare two groups; the control group, lacking elements of h_t ; and the experimental manipulation group, where elements of h_t are ubiquitous. The null hypothesis, h_0 , merely asserts that any difference between the experimental manipulation group and the control group will not exceed differences due to chance alone.

The widespread use of what Fisher eventually calls **null hypothesis** testing begins in R. A. Fisher's research in agriculture and genetics. Fisher designs the technique to solve a specific problem in experimental design—how to determine the probability of an effect given a particular problem. For example, how does one estimate the likelihood of a hypothesis like magnetic forces could bend light? The null hypothesis design solves this problem by creating and testing a hypothesis, the null hypothesis, for which one can easily determine the probability prior to experimentation. Fisher presents and defends the technique in "On the Mathematical Foundations of Theoretical Statistics."¹⁰⁸ As a result of the less technical presentations in his books, *Statistical Methods for Research Workers*¹⁰⁹ and *The Design of Experiments*¹¹⁰, researchers adapt the technique (for better or worse) across a wide range of scientific disciplines. The chapter on psychology discusses the rise of the experimental tradition in psychology, noting the development and adaptation of many other experimental techniques such as measuring reaction times. The development of a robust and creative experimental tradition plays an important part of the development and elaboration of any paradigm

in that experiments provide the mechanism whereby researchers can accurately and systematically evaluate a theoretical model's fit with the world.

1.3.a.6 Explanatory Schema: Researchers elaborate and refine one or more explanatory schemas in developing scientific treatments of a given domain. Theorists develop a general framework--a general schema—for predicting, retrodicting, manipulating and explaining phenomena in that domain. These schemas also comprise outlines or strategies for treating new or problematic aspects of the phenomena based upon the central insights of the paradigmatic cases. Thus, the explanatory schema serves to delineate and structure the domain--it represents the central insight or insights into the phenomena. Researchers adapt these strategies from salient aspects of the paradigmatic cases. For instance, biologists use the general schema of evolution to explain the differences in the expression of traits across entire species. Evolution provides a general framework for depicting differences in traits and mechanisms by which such traits appear and propagate. Similarly, early treatments of pendulum motion sought to understand that motion through the relationship between periodicity, arm-length, and gravitational acceleration. If theorists change their understanding of the central insight of a domain, then the domain will often change to reflect the new understanding. For example, as noted later in this chapter, the domain of the ideal pendulum law changes as theorists shift the explanatory schema from periodic motion to harmonic motion and finally to oscillating systems.

1.3.a.7 Generalized Solution Strategies: Researchers do not just develop theoretic models and experimental traditions. Researchers also develop generalized solution strategies as part of their treatments of scientific domains. Generalized solution strategies consist of techniques for adapting and manipulating their theoretical models, allowing scientists to utilize those models to generate predictions, retrodictions, manipulations, and explanations across a wider range of applications. For example, in order to explain how gravity moves objects



down inclined planes [movement both along the downward direction (i.e., vertical motion) and along the direction orthogonal to the downward force of gravity (i.e., horizontal movement)] physicists introduce the generalized solution strategy of component forces. Physicists do not suppose that gravity acts along the angle indicated by the force line labeled $mg \cos \theta$ and N --also often called the normal force (sometimes symbolized as F_n).

Physicists define the normal force as the force line perpendicular to the plane's inclined surface. Likewise, physicists do not suppose that gravity acts along the angle indicated by the force line labeled f and $mg \sin \theta$. The force line, f , parallel to

the surface of the plane represents the force acting to move the object along the inclined surface (usually

symbolized as f and $mg \sin\theta$). Instead, gravity exerts a force directly downward along the line indicated by mg which also represents the object's weight in the gravitational field.

1.3.a.8 Accepted Partial-Potential Models & Success Criteria: An integral aspect of scientific practice as I depict it involves disabusing oneself of the false view that science formulates universal, exceptionless laws expressing (or that science will eventually express theories as universal, exceptionless laws) the exact and complete nature of the phenomena subsumed by those laws. Theories often have exceptions, scope limits (limits to the cases to which they apply), and perhaps most importantly; theories have no specific privileged formulation. As Frederick Suppe notes,¹⁴

...the heart of a theory is an extralinguistic *theory structure*. Theory structures variously are characterized as set theoretic predicates (Suppes and Sneed), state spaces (Beth and van Fraassen), and relational systems (Suppe). Regardless which sort of mathematical entity the theory structures are identified with, they do pretty much the same thing—they specify the admissible behaviors of state transition systems. (p.4)

Thus, theories use a variety of mediums to symbolize or represent the categories and relationships between those categories through which the target phenomena are modeled. Theoretic models utilize some representational medium(s) (symbols, numbers, diagrams, etc.). The particular medium with which scientists formulate theoretic models shapes to some extent the information and operations one can utilize in formulating and manipulating those theoretic models. This last point has an excellent illustration later in this chapter during the discussion of the idealized pendulum law. For now consider the following, very simple example: Suppose one represents π as the symbol, π , in the formula for the circumference of a circle: $C = d\pi$ (where C = circumference, d = diameter, and $\pi = \pi$). One cannot, given one's choice of representational medium for π , calculate circumferences expressed exclusively as explicitly represented decimal approximations of the circle's circumference. For instance, if the diameter equals 5 inches, then one's calculated circumference equals 5π inches. On the other hand, if one uses a decimal approximation of π , like 3.14159265, then one can calculate circumferences expressed exclusively as explicitly represented decimal approximations, e.x., $5 \cdot 3.14159265 = 15.70796325$ inches. Using π to represent π makes representing and calculating the circumference easy enough that people can calculate the circumference in their head—without the aid of a calculator or paper and pencil. However, one's answer does not really help one determine, say, how long a piece of string one needs in order to wrap string around the outside of the circle. Representing π as a decimal approximation like 3.14159265 allows one to calculate the circumference of a circle with great precision. However, most people would have difficulty calculating the circle's circumference without a calculator or paper and pencil. Similarly, the specific approximation, 3.14159265, likely provides a greater potential for accuracy in calculating the circumference than the average accuracy of the average person's measurement skills. In other words, one may determine that the circumference equals 15.70796325 inches, but few people could measure and cut a piece of string to exactly that length.

As a result of the above considerations, one must conclude that theories necessarily depict the world through the selective lens of abstraction and the specific properties of the chosen representational medium. Categorizations gain generality by divorcing themselves from the fine details of individual cases to unite many instances under a common type. Choice of representational medium and the elements included in the

theoretic model introduces tradeoffs between complexity, predictive power, and tractability (where a tractable model is one with which one can calculate answers, i.e., a model one can use).

Thus, scientific practice inherently involves tradeoffs between factors like details, complexity, predictive power, and representational medium. Scientific progress and consensus, as a result, can only occur against a backdrop of norms for success. Researchers must converge upon generally acceptable norms for determining the adequacy of predications, retrodictions, manipulations, and explanations of phenomena within the domain. Part of the formulation of acceptable norms involves reaching rough agreement as to the appropriate representations for theoretic models, aspects of the physical system incorporated into the model, operationalizations, and uses of models for solving problems. I call these acceptable uses **partial potential models**. For instance, the ideal pendulum law abstracts from a number of relevant factors to model pendulum motion. One important factor ignored by the ideal pendulum law is frictional resistance at the arm-pivot of pendulums. For this reason, scientists agree that all acceptable partial potential models for the ideal pendulum law must have negligible frictional resistance at the arm pivot. The law, as a result, applies only to those instances that fall within the scope of acceptable partial potential models. As the discussion about pendulums below illustrates, people must also reach a general agreement regarding the standards for success of a given set of theoretic models together with the categorizations and operationalizations that connect those models to the phenomena.

1.4 Applying the Eight Elements to the Development of Oscillating Systems Theory

The remainder of this chapter utilizes the above-mentioned notions to outline the general processes whereby researchers (A) come to view a set of phenomena as constituting a scientific domain and (B) develop and refine treatments of that domain. The process begins when researchers identify domains of interest—that is, domains in which the phenomena appear to exhibit both a unity and regularity. The unity and regularity needed to highlight a domain for potential scientific treatment can manifest itself in the dynamical interactions and/or development of domain elements over time. The stable properties exhibited by objects, events, or relations within the domain can likewise provide the prerequisite unity and regularity. While unified and regular dynamic phenomena give rise to dynamical models, attributional models capture unity or regularity manifested as attributes of objects, events, or relations within the domain.

For instance, this chapter uses the ideal pendulum law, a dynamical theory of pendulum motion, as its central illustrative example. Part of that ideal pendulum law is the constant, g . This constant represents part of a unified theory of gravitational acceleration—namely the uniform acceleration of matter within the Earth's gravitational field. As students might recall, this theory assigns a constant value to gravitational acceleration; $g = 9.8\text{m/s}^2$. In short, g represents an **attributional model** of gravitational acceleration—a theory intended to capture the disposition of objects to accelerate when unrestrained in the Earth's gravitational field.


Researchers make further progress by collecting data about the phenomena in the domain, developing categorizations of phenomena that appear to capture unity and that facilitate the expression of regularities in the form of theoretic models. The testing of these categorizations, dynamical theories, and attributional theories both requires and facilitates the establishment of a robust experimental tradition within the domain. At this point, it becomes possible for a paradigmatic treatment, in Kuhn's first sense, to emerge. As researchers and research organizations around one or two paradigmatic treatments (paradigmatic cases), a general explanatory framework (paradigm) emerges that serves to structure further research. More

standardized treatments of the domain structured around the paradigmatic cases emerge. These treatments include both pseudo-physical models to aid in conceptualizing the world as portrayed in the theory and a set of generalized solution strategies for adapting and further articulating the central theoretic models to encompass novel instances and important variants of the central cases. Finally, the domain may expand or contract as further instances come under the explanatory schema or further differentiations between types of phenomena occur.

1.4.a Theories as Models: The Ideal Pendulum Law

The last two paragraphs might seem like word salad to many students, so let us turn to a more concrete treatment. Consider a simple theory with which many students have some familiarity, the ideal pendulum law: $P = 2\pi \cdot (l/g)^{1/2}$ (see below). In English, the law asserts that the periodicity (the time it takes the bob of a pendulum to swing from one extreme of its arc to the other and back again) equals two *pi* times the square root of the length of the pendulum arm divided by the acceleration due to gravity. This treatment of the pendulum dates to Galileo’s investigations into pendulum motion around 1602. Galileo discusses his findings regarding pendulums and offers further speculations in a 1602 letter to [Guido Ubaldo dal Monte](#).¹¹¹ (pp.97-100) When he publishes [Dialogue on the Two Chief World Systems](#) in 1632, Galileo reports discovering that periodicity varies in a proportional fashion to the square root of length of the arm.¹¹² That is, increasing arm length increases periodicity. In addition to relating arm length to periodicity, Galileo reports the independence of periodicity from both the mass of the bob and (approximately) the amplitude of the swing.


In other words, neither increasing the mass of the bob, nor increasing the swing size affects periodicity. Theorists call the approximate constancy of periodicity across different swing amplitudes **isochronism**. [Isochronism](#), in fact, drives Galileo’s interest in pendulums.¹¹³ Though not as robust as Galileo reports, isochronism proves extremely significant as well as consistent with his general understanding of the

$P = 2\pi \sqrt{\frac{L}{g}}$	
<p>(Top left) The standard formulation of the ideal pendulum law; P = periodicity, L = length of the arm pivot, and g = acceleration due to local gravitational attraction. (Left middle) Galileo’s drawing of his experimental pendulums from <i>Dialogues on the Two Chief World Systems</i> (figure 21). (Top right) A schematic labeled diagram depicting the ideal pendulum. Image from Wikipedia</p>	

domain of terrestrial motion—namely, that bodies accelerate uniformly within gravitation fields. Galileo’s findings provide a theory for pendulum motion in the form of the equation in the table below (top left). But what does it mean to say that scientific theories like the ideal pendulum law are models? What does it mean to say that a mathematical equation models a pendulum?

Focusing upon the equation itself, one can observe two important features of theories. First, theories assert relationships between types or categories. Thus, the ideal pendulum law relates periodicity (a type of time period) to arm length (type of object property) and local gravitation acceleration (a type of force). Thus, the ideal pendulum law illustrates one central feature of theoretic models. Specifically, the categories that theories employ allow theorists to depict phenomena through an analysis of the phenomena into more elemental components and their

relationships. Thus, the ideal pendulum law analyzes the movements of pendulums by expressing the pattern of those movements in terms of the relationships between component elements of that movement.



The ideal pendulum law categorizes pendulum movement in terms of periodicity--the time it takes the bob to move from one end of the swing arc to the other and return. Periodicity allows theorists analyze the continuous movements of pendulums into discrete component movements. These component movements (i.e., periods) also divide the continuous temporal evolution of the pendulum into discrete temporal components. Theorists then depict the motion of pendulums in terms of the relationship between periodicity, on one hand, and two other component elements of the phenomena--arm length, and uniform gravitational acceleration. The equivalence relation between categories in the mathematical structure of the ideal pendulum law mirrors the structural relationship between time, motion, length, and acceleration in pendulums.

The relationship between features of a model and features of the domain need not find expression in mathematics; one can formulate the theory in other representational mediums. For instance, when I first mentioned the pendulum law, I expressed the relationship in English. I've also expressed it as an equation (as the color coded equation in the top left of the table on the left). I express the relationship as a state-space (as in the diagram in the bottom panel of the table) and Galileo expresses it as volumetric relationship between geometric figures (in the diagram on the top right of the table). What, then, makes something an expression of a theory? I suggest that a model (representational structure) expresses a theory when elements of the model's structure systematically map onto the elements of the phenomena in such a way that the model's structure, as interpreted through the mapping, expresses the theory's insight into the phenomena. For instance, a state-space like the one depicted above expresses the ideal pendulum theory because of the following mapping: (1) The horizontal (blue line) direction represents the length of the pendulum arm increasing from the origin of zero (far left). (2) The vertical direction (purple line) represents the duration of the period increasing from the origin of zero (bottom left). (3) The black line represents the values for each period corresponding to each arm length. This variability in the formulation of theories is crucial to

understanding scientific theories in that it deemphasizes the role of some or other canonical formulation (e.x. an exceptionless universal statement) in understanding theories in favor of the actual function of theories in the scientific enterprise. Indeed, Galileo draws extensively upon geometry both in formulating and in proving various theories in *Dialogue on the Dialogues on the Two Chief World Systems*.¹¹²

The second aspect of theories that the pendulum law equation brings into focus is that theories model phenomena only in certain respects and to certain degrees. Indeed, the ideal pendulum law only models certain features of pendulums (respects). Some features of real-world pendulums neglected by the law include properties irrelevant to periodicity like color, material composition, ownership, the mass of the bob, etc.. Still other features of real-world pendulums neglected by the law prove relevant to periodicity (e.x., frictional and medium resistance). As a result of these missing relevant features of real-world pendulums, the relationship between periodicity, arm-length, and gravitational acceleration expressed in the ideal pendulum law only approximates the behavior of real-world pendulums. That is, the relationship asserted in the ideal pendulum law only models real-world pendulums to a certain degree of accuracy. Thus, the ideal pendulum law and its associated conventions for application constitute a partial potential model.

Specifically, the ideal pendulum makes simplifying assumptions about the pendulums it describes. These simplifying assumptions allow for the formulation of equations tailored to specific uses and interests. For instance, the ideal pendulum law captures pendulum motion using an equation that proves computationally tractable (i.e., the equations have relatively straightforward and calculable solutions). However, the benefits of these simplifying assumptions come at a cost. Should the real-world pendulum system violate these assumptions to a significant degree, systematic inaccuracies in prediction or, at minimum, the potential for systematic inaccuracies in prediction can result from the use of the ideal pendulum law.

Indeed, the ideal pendulum law assumes a massless and perfectly rigid pendulum arm. Likewise, it assumes zero resistance from the medium (the air through which the pendulum travels) and zero frictional resistance at the arm pivot. It assumes that one can treat the mass of the bob as a point-mass because the bob's mass is evenly distributed. Finally, it assumes that the amplitude of the swing does not affect periodicity. Strictly speaking, none of these assumptions holds true for real pendulums. Thus, philosophers like [Nancy Cartwright](#) assert that^{5, 6}

In modern physics, ..., phenomenological laws [laws scientists formulate specifically to capture explicitly observed data] are meant to describe, and they often succeed reasonably well. But fundamental equations [laws] are meant to explain, and paradoxically enough the cost of explanatory power is descriptive adequacy. Really powerful explanatory laws of the sort found in theoretical physics do not state the truth. ... I will argue that the accounts they [fundamental laws] give are generally not true, patently not true by the same practical standards that admit an indefinite number of commonplace phenomenological laws. We have detailed expertise for testing the claim of physics about what happens in concrete situations. When we look to the real implications of our fundamental laws, they do not meet these ordinary standards. Realists are inclined to believe that if theoretical laws are false and inaccurate, then phenomenological laws are more so. I urge just the reverse. When it comes to the test, fundamental laws are far worse off than the phenomenological laws they are supposed to explain. (p.3)

Because of the implicit simplifying assumptions built into the ideal pendulum law, scientists also have conventions regarding its use. Specifically, one can use the ideal pendulum law to predict the behavior of

pendulums within a tolerable margin of error for relatively small swing amplitudes in so far as the arm mass, fictional resistance, and medium resistance prove negligible. The number of pendulums having negligible frictional and medium resistance proves relatively small in the real world. Discussions of pendulums, therefore, often move from the ideal pendulum law to other models that include frictional and/or medium resistance—usually called damped harmonic motion. These models tend not to differentiate between resistance due to the medium and resistance due to friction at the arm pivot. While combining these two forces again results in a less accurate theoretical depiction of pendulums, it represents a trade-off of descriptive accuracy for ease of use—accuracy for simplicity.






But why, then, does the ideal pendulum law ignore frictional resistance to begin with? I suggest three reasons. First, Galileo conducts the original studies using pendulums consisting of weights suspended by strings, thereby minimizing frictional resistance. Second, Galileo’s discovery of uniform gravitational acceleration (in his famous, though possibly fictional, experiments in which he drops objects from the leaning tower of Pisa) no doubt shapes Galileo’s theoretical perspective in investigating pendulums. Third, since frictional and medium resistance increases proportionally with velocity, these models prove much more complicated. Indeed, the standard treatments of damped pendulums describe pendulums using different categorizations. These models move from a dynamical analysis of pendulum motion in terms of periodicity to analyses in terms of position, velocity, and time. These modern models likewise employ the mathematics of trigonometry and calculus, neither of which is available to Galileo. In short, these models introduce alternative categorizations and alternative inter-category relationships in order to capture the dynamic evolution of pendulum motion. The theoretic treatment of pendulums remains unified in that the models retain the basic insight of the ideal pendulum law—the relationship between arm length and oscillatory motion. Likewise, periodicity remains definable and calculable within the alternative categorizations, though the calculations become much more complex.

Similarly, when swing amplitude exceeds about 4° to 6° , isochronism no longer proves viable. Recall, isochronism asserts that periodicity remains constant through increases in swing amplitudes, and proves crucial to the original adoption of pendulums for clocks. In point of fact, as swing amplitudes increase periodicity likewise increases. Unlike frictional resistance, violations of isochronism for larger swing amplitudes represent a real empirical discovery. Christiaan Huygens’ [*Horologium Oscillatorium sive de motu Pendulorum*](#) (1673) represents the first systematic demonstration of periodicity variation due to swing amplitude. Modifications of the pendulum model to include swing amplitude prove equally complicated. For illustrative purposes I include these more complicated models without further comment.

$\frac{d^2\theta}{dt^2} + \frac{g}{L} \sin \theta = 0$	$\frac{d^2x}{dt^2} + 2\zeta\omega_0 \frac{dx}{dt} + \omega_0^2 = 0$
<p>Above: The equation for calculating the motion of a pendulum for all swing amplitudes. For small swing amplitudes the equation reduces to the equation for simple harmonic motion: $\theta(t) = \theta_0 \cos(2\pi t/T)$ where θ is the angular displacement in radians, t = time, and T equals periodicity.</p>	<p>Above: Pendulum law taking frictional resistance into account. Here x represents the current position of the bob, ζ is dampening ratio and ω_0 is the undamped angular frequency. For small damping one generally adopts the <i>Ansatz</i> equation: $x(t) = Be^{-\omega_\gamma t} \cos(\omega' t)$.</p>
$\frac{\Delta T}{T_0} = \sum_{n=1}^{\infty} \left(\frac{2n!}{2^{2n}(n!)^2} \right)^2 \sin^{2n} \left(\frac{\theta_0}{2} \right)$	<p>Left: In order to determine the real periodicity of a pendulum one must calculate both the ideal periodicity, T_0, and the difference between the ideal periodicity and the real periodicity, ΔT, usually called the <i>circular error</i>. One then calculates the real periodicity, T_r, thusly: $T_r = T_0 + \Delta T = T_0(1 + \Delta T/T_0)$. Above is the complete elliptic integral of the first kind for the Jacobian elliptic sine function used to determine the increased value for periodicity for any angular displacement (given in radians); θ = the maximum angular displacement in radians, ΔT = the difference between the ideal periodicity and the real periodicity, usually called the <i>circular error</i>, and T_0 = the ideal periodicity.</p>

The modifications of the basic pendulum law provide two more insights into the nature of theories. First, theories are collections of models, each representing extensions or modifications of the central model or insight for specific situations or applications. Second, the development of theories in the form of additional models is driven by both the nature of the phenomena itself as well as the needs and interests of theorists. For instance, the elaborations of the ideal pendulum law come in part because of the interests of scientists—in this case, keeping time. Indeed, Galileo himself uses pendulums as timing devices in simple metronomes. One of his friends, [Santorio Santorio](#), creates a device, the *pulsilogium*, to time the pulse of his patients.^{114, 115} Towards the end of his life Galileo even develops a design for the pendulum clock. Christiaan Huygens built the first known pendulum clock in 1656, and modifies his clocks in light of his discovery of the failure of isochronism for large swing amplitudes. Pendulum clocks initially increase the accuracy of clocks from approximately 15 minutes a day to 15 seconds a day. Modifications of pendulum clocks increase accuracy so that US National Bureau of Standards utilizes pendulum clocks as late as 1929.

Not surprisingly, the additional models for pendulum motion discussed above do not exhaust the models. Indeed, researchers also have an interest in the potential energy contained in the pendulum (energy stored in the system) at various points in its swing since one can convert potential energy into to mechanical energy to drive machines other than clocks. The interest in the energy of pendulum systems spawns diverse treatments. Moreover, if one opens a physics textbook today, one does not find a chapter on pendulums. Rather the chapters discussing pendulums, like the domain itself, have moved from pendulums to generalized harmonic systems to and finally to oscillatory systems.


		
<p>Portrait of Santorio Santorio 1561–1636</p>	<p>Portrait of Galileo From: Wikipedia February 15, 1564 - January 8, 1642</p>	<p>Portrait of Christiaan Huygens April 14, 1629 – July 8, 1695</p>
		
<p>Galileo's conception for the pendulum clock. Image from Wikipedia.</p>	<p>Huygens' clock together with a copy of <i>Horologium Oscillatorium sive de motu Pendulorum</i>. Image from Wikipedia.</p>	

Contemporary categorizations of systems like pendulums classify these systems according to several

properties. First, **periodic motion** occurs when an object’s motion exhibits repetitive patterns. In the case of pendulums, the bob moves along the swing arc over and over. **Harmonic motion** refers to periodic motion in which roughly proportional displacing and restoring forces govern the motion. In the case of pendulums, the displacing force, gravity, accelerates the bob during the downward arc of swing, converting potential gravitational energy into inertial energy in the form of velocity. At the bottom of the swing, all energy in the system takes the form of inertial velocity driving the bob through the upward arc of the swing. During the upward arc, the inertial energy reconverts into potential gravitational energy through deceleration, and so on.



Film depicting the collapse of the Tacoma Narrows Bridge due to forced oscillatory motion. Movie from [youtube](#). Click on image to view the movie.



Animation depicting the conversion of gravitational energy to inertial energy in the form of velocity and back again through acceleration and deceleration. Click on image to view the animation. Animation from [Wikipedia](#).

Scientific Domain	
<div>Oscillating Systems</div> <div>Simple Harmonic Systems</div> <div>Simple Spring Systems</div> <div>Ideal Pendulum Law</div> <div>Damped Pendulums</div> <div>Larger Swing Arcs</div>	
<p>Diagram schematically depicting the evolution of the scientific domain encompassing pendulums. Click on diagram to view animation.</p>	<p>Diagram of the state-space model of a damped pendulum. Image from Scholarpedia.</p>

Thus, like all harmonic systems, the pendulum moves about an equilibrium position—a place in which the restoring and displacing forces normally equal one another. When a harmonic system gets displaced from its equilibrium position, that action introduces an unbalanced relationship between displacing and restoring forces, causing the periodic motion about the equilibrium position—i.e., oscillations.

Of course, not all oscillatory systems have single, stable equilibrium positions, thus simple harmonic motion represents an important subset of oscillatory motions. Other important oscillatory motions include damped, driven (or forced), and coupled oscillatory motions. The characteristic systems in such chapters include weighted spring systems, pendulums, and rotating bars. In the box below, the movie (top left) shows forced oscillatory motions destroying the Tacoma Narrows Bridge. The animated diagram (top right) illustrates the harmonic motion of a pendulum. The animated diagram (bottom left) depicts the changing structure of driven or forced, and coupled oscillatory motions. The diagram (bottom right) depicts the state-space model of a damped pendulum.

1.4a Categorization

Though Galileo formulates what we now call the ideal pendulum law, his interest in pendulums comes primarily from his interest in gravitational acceleration. Galileo famously articulates the principle of universal gravitational acceleration. Prior to Galileo falling objects were thought to fall at differential rates corresponding to their weight. Galileo performs (or claims to have performed) a number of experiments demonstrating uniform acceleration. Galileo likely never dropped balls from the leaning tower of Pisa. He does, however, perform a series of careful experiments showing that balls of different weights accelerate at the same rate when rolled down inclined planes. Finally, Galileo performs experiments using pendulums (weights of various sizes suspended on strings) that seemed to show that these weights accelerated at a uniform rate through their swings. For Galileo, then, pendulums attracted his interest initially as applications of the principle of uniform gravitational acceleration. Thus, the ideal pendulum law invokes three categorizations: periodicity, arm length, and g , the constant for uniform gravitational acceleration. As noted above, later treatments of pendulum motion involve quite different categorizations such as position, velocity, time frictional coefficient, and angular displacement.



Pictures of the actual inclined plane apparatus used by Galileo to test the principle of universal gravitational acceleration and determine a value for g . Balls rolled down the tracks ringing bells to help with timing. The inclines could be changed in some cases to increase or decrease the vertical component force of g accelerating the balls. From: [Arbor Scientific](#)¹¹⁶

1.4.c Operationalization

In order to formulate and test a dynamic model of pendulum motion Galileo needs to operationalize the categories he uses to formulate the ideal pendulum law. In other words, Galileo needs to find a reliable, inter-subjective way to find the values for these categories. Measuring length poses little problem for Galileo, but operationalizing periodicity and determining the value of g both require accurate time measurements. Galileo

used his own pulse as an initial timing device when he first notices pendulum swing, but for his experimental work Galileo uses a water clock. To wit:¹¹²

For the measurement of time, we employed a large vessel of water placed in an elevated position; to the bottom of this vessel was soldered a pipe of small diameter giving a thin jet of water, which we collected in a small glass during the time of each descent, whether for the whole length of the channel or for a part of its length; the water thus collected was weighed, after each descent, on a very accurate balance; the differences and ratios of these weights gave us the differences and ratios of the times, and this with such accuracy that although the operation was repeated many, many times, there was no appreciable discrepancy in the results. (p.146)



Video about water clocks. From: [Museo Galileo](https://www.museogalileo.org/en/visiting-the-museum/exhibitions)

Of course, the process here measures time in terms of relative weight and could be no more accurate than the scales, units for weight, and collection processes allow. Indeed, Galileo likely uses inclined planes and pendulums in his experiments because he could more accurately and reliably time their acceleration. Vertical drops result in much more rapid acceleration. Balls rolling down an inclined plane move much more slowly than they do when dropped from a tower. Using movement of balls rolling down inclined planes, Galileo determines that gravitational acceleration is a function of the square of the time. His estimate comes out to

be about 10.8m/s^2 , compared to our 9.81m/s^2 .¹¹²


A piece of wooden moulding or scantling, about 12 cubits long, half a cubit wide, and three finger-breadths thick, was taken; on its edge was cut a channel a little more than one finger in breadth; having made this groove very straight, smooth, and polished, and having lined it with parchment, also as smooth and polished as possible, we rolled along it a hard, smooth, and very round bronze ball. Having placed this[213] board in a sloping position, by lifting one end some one or two cubits above the other, we rolled the ball, as I was just saying, along the channel, noting, in a manner presently to be described, the time required to make the descent. We repeated this experiment more than once in order to measure the time with an accuracy such that the deviation between two observations never exceeded one-tenth of a pulse-beat. Having performed this operation and having assured ourselves of its reliability, we now rolled the ball only one-quarter the length of the channel; and having measured the time of its descent, we found it precisely one-half of the former. Next we tried other distances, comparing the time for the whole length with that for the half, or with that for two-thirds, or three-fourths, or indeed for any fraction; in such experiments, repeated a full hundred times, we always found that the spaces traversed were to each other as the squares of the times, and this was true for all inclinations of the plane, i.e., of the channel, along which we rolled the ball. We also observed that the times of descent, for various inclinations of the plane, bore to one another precisely that ratio which, as we shall see later, the Author had predicted and demonstrated for them. (p.146)

1.4b Data Accumulation

The development of the treatment of oscillating systems like the pendulum illustrates another feature important to the development of scientific treatments of a domain—data collection. Prior to Galileo only a few people consider pendulums. Likewise, terrestrial motion generally has little real data upon which people can base categorizations and dynamical theories. Indeed, the theories of terrestrial motion prior to Galileo follow what people generally call “Aristotelian Physics.” Aristotle was no stranger to terrestrial motion, and

even seems to grasp inertia (though in what he considers a counterfactual situation: the void) in some of his writings¹¹⁷ (Book IV, part 8, paragraph 7). However, Aristotle proposes that terrestrial motion occurs because each of the four elements (earth, air, fire, and water) moves toward their natural place in existence. Since these four elements compose all other materials each type of material moves toward the place representing the equilibrium between their component parts. Thus, rocks fall to earth because they are composed primarily of earth. There are obvious and striking difficulties with this view when confronted by the facts. For instance, why do arrows travel anywhere but straight into the ground once released as they too are primarily earth? Indeed, even today many people have little insight into very ordinary terrestrial motions. For example, if you accelerate in your car and you have a soda bottle laying on the seat with an air bubble in it, does the bubble move forward, backward, or does it remain in the same place? Many people think the bubble will move backward. In fact, the bubble will move forward.

Another important feature of scientific data collection lies in its systematic, replicable, and accurate nature. For instance, Galileo might not have dropped objects from the Tower of Pisa, but he did perform systematic and replicable experiments in which he rolled balls down an inclined plane, he also performed a number of experiments with pendulums. Similarly, Aristotle himself seems to have determined that water is ten times denser than air (an estimate Galileo criticizes) based upon the relative speeds at which similarly shaped objects of differing weights fall through water. Indeed, we now have a much larger and better body of data with which to understand acceleration due to gravity in terrestrial motion. Just like data collection revealed



difficulties with isochronism, data reveals that uniform gravitational acceleration is not actually uniform. In 2002 NASA launched the Gravity Recovery And Climate Experiment (GRACE) satellite. The mission produced maps of the variations in the Earth's mass and hence gravity (below). Acceleration varies depending upon latitude, altitude, and depth. Indeed, acceleration ranges from a value of 9.780 m/s^2 at the equator to a value of 9.832 m/s^2 at the Earth's poles. Additionally, the net component of the Earth's gravity available to accelerate objects decreases at the equator because the greater the distance of an object from the Earth's

center, the faster it rotates. Faster rotational motion results in greater [centrifugal force](#), meaning that a greater share of gravitational attraction is required to redirect an object's trajectory to keep it in place in the rotation (as opposed to taking a straight trajectory).¹¹⁸ Centrifugal force increases with the distance from the Earth, ultimately completely nullifying gravitational attraction and resulting in the "weightlessness" experienced by astronauts. Data collection, therefore, proves essential not merely as gist for the theoretic mill, but because researchers often have little insight into the true nature of the phenomena in a domain at the onset of their investigations. The global gravitation maps (below) illustrate this point nicely in that it has taken researchers some 400 years to collect the exact data relevant to understanding the nature of gravitational acceleration and its effect on terrestrial motion.

1.4.e Explanatory Schemas

So, Galileo's hypothesis of uniform gravitational acceleration allows theorists understand a number of important features of terrestrial movement, which together provide a general schema for predicting, retrodicting, manipulating and explaining terrestrial motion. First, falling objects accelerate during falls--in contrast to the Aristotelian notion that such motion had a uniform velocity. Second, gravitational acceleration is uniform regardless of mass and material, and one can determine that rate of acceleration experimentally. Within this framework, scientists after Galileo explain an impressive set of terrestrial motions.

1.4.f Accepted Partial Potential Models and Success Criteria

Galileo's work proves quite useful for predicting, retrodicting, manipulating, and explaining terrestrial motion. For example, one could now calculate the trajectories of cannon balls and generate ballistics tables. However, the model assumes that a number of potential factors influencing terrestrial motion prove negligible. For example, frictional resistance and resistance of the medium both invalidate Galileo's models. Wind can affect ballistics calculations; rubber cubes will not move down an inclined plane at the same rate polished bronze balls roll down that plane; bronze balls fall slower in water than in air, and so on. The proper applications of specific models as well as the modification of models for alternative cases becomes a large part of the work done by theorists after Galileo, as we have seen in the case of oscillating systems. In other words, scientists must establish criteria for acceptable degrees of predictive, retrodictive, manipulative and explanatory success for their theoretic models. They must likewise discover what physical systems are acceptably modeled by particular theoretic models and which systems require alternative models. So, because frictional dampening affects the accuracy of pendulum clocks theorists like Huygens must develop alternative models within the same explanatory framework in order to better serve the prediction, retrodiction, manipulation and explanation of such physical systems. Kuhn refers to such work as "normal science."¹¹


1.5 Cognitive Science as Science

One important organizational and expository principle of this text is that to understand cognitive science one must understand how science operates. This section utilizes the conceptual framework articulated in earlier sections to provide students with a preview of the overall picture of cognitive science and its treatment of various cognitive domains. The section's expository goal consists primarily in providing students with an overarching outline of the final picture that will emerge by the end of the introductory chapters and lectures.

1.5.a The Ontological Framework of Cognitive Science

Cognitive science operates under the general physicalistic framework of all the sciences, but it also has its own

The Tower-Bridge View of Cognition




Animated schematic diagram of the tower bridge illustrating the basic categorization and relational organization of the CTC and RTI in the performance of a computation associated with a cognitive task within the ontological framework for cognitive science.

distinct set of categorizations and interrelationships. I adopt the appellations introduced by Robert Cummins in outlining the two theses which help to define its ontological framework: “Computational Theory of Cognition” (CTC) and the “Representational Theory of Intentionality” (RTI). Together the CTC and RTI provide the fundamental categorizations and relations within which most of cognitive science emerges.⁴ In its broadest statement, RTI asserts that mental states are about the world (have content) in virtue of a representation relation holding between the world and those states.

The CTC holds that cognition consists of the computation of complex functions on such representational states, where computation consists in performing operations defined over the structure of representational states. The combination of the CTC and the RTI create two general explanatory schemas that inform much of the theorizing in cognitive science. Cummins refers to the schematic relationship between cognitive processes and the world as the “Tower Bridge Model” of computation.⁴ As illustrated in the animated diagram (above

Stages of Cognition




An animated schematic diagram of the basic categorization and relational organization of cognitive task performance within the ontological framework for cognitive science. Students should bear in mind the caveats that such strict temporal succession between each stage represents an idealization (simplification). Likewise, not all cognition involves all of the input sources listed here, nor need it result in all of the outputs listed here.

left), the tower bridge portrays certain cognitive states, inputs to the system, as standing in a representation relationship with physical objects, properties, events, and/or relations in the world. Dynamic changes in the world result in new physical states. These dynamic changes in the world are mirrored by the dynamic processes that transform the initial representational state of the cognitive system in order to create a new,

output, state. This output state also maps onto the new physical state generated by the dynamic changes in the world. It is this similarity of structure between the states and dynamic changes in the world and in the

states and dynamic changes within the cognitive system that allows the cognitive system to model the world and its dynamical changes.

In addition to the tower bridge model of computation and representation, CTC/RTI also provides a general schema for cognitive processes. This three stage schema (see below) portrays cognizers as receiving input via sensory organs that transduce physical features of the world, retrieval of stored memories, and/or the output from a previous process. The cognitive process then operates upon the input states transforming them through computation so as to generate output states. Outputs then guide the system's behavioral response by becoming encoded as memories, by serving as outputs to another process, and/or by serving as motor response commands). This three stage schema for cognitive task performance serves to structure the formulation of models for predicting, retrodicting, manipulating, and explaining cognitive task performance. To illustrate how these schemas structure theoretic models of various cognitive capacities in cognitive science consider the standard (simplified) model of the basic reflex action (also known as reflex arc) in the animated diagram (below). The reflex arc consists of three main components; afferent (incoming) sensory neurons called nociceptors, interneurons in the spinal cord, and efferent (outgoing) motor neurons. As indicated in the



diagram, the reflex arc has a direction. Sensory receptors in the skin called nociceptors convert mechanical and chemical signals in the skin into electrical signals that they then transmit into the dorsal horn of the spinal column. Theorists classify the incoming nociceptor signals as inputs to the reflex arc. These inputs carry information to the spinal cord about changes in the areas of the skin that the nociceptor cells monitor. Specifically, these cells transmit information

about changes in pressure, temperature, as well as cellular damage in the skin. Large and dramatic increases in the activity of nociceptor cells suggest rapid changes in pressure, temperature, or actual cell damage—i.e., a threat to that area. The interneuron cells in the dorsal horn of the spine receive the electrical signals from the nociceptor cells. Their role in the reflex arc consists of processing this information in a quick-and-dirty fashion. Specifically, the interneurons of the dorsal horn sum the incoming electrical signals of nociceptor afferent fibers. If the summed value of the incoming signals from the nociceptor cells exceeds a threshold level, the interneurons pass activation to efferent motor fibers. One can characterize the information processed by these interneurons as the computation of a threshold function to quickly assess the threat to the skin cells as

indicated by the information transmitted by the nociceptor cells and to determine a differential response based upon that assessment. The final stage of the reflex arc consists of the efferent motor neurons that receive signals from the spinal interneurons and transmit that signal to the muscles, thereby initiating a startle response resulting in rapid withdrawal of the area from its current position. Thus, efferent motor neuron activity carries motor response commands to the muscles based upon an inference about the threat to the area.

1.5.b Cognitive Science is Interdisciplinary

As the above examples might suggest, theories in cognitive science describe human cognition using information from many different disciplines and using many different categorizations and theoretic models. Not surprisingly, then, cognitive scientists collaborate with one another across disciplines in formulating and integrating theoretic models of various cognitive capacities. For example, in understanding language linguists cooperate with neuroscientists, sociologists, and anthropologists to understand the nature, origins, universal features, and neurological bases of language.

The main disciplines usually cited as having helped to found cognitive science include computer science, neuroscience, philosophy, psychology, linguistics. As the course moves forward, the chapters and text will discuss the basics of each of these disciplines as they relate to cognitive science.

1.5.c Disciplinary Convergence

One central theme that emerges in the discussions of each of the core disciplines concerns how each of these disciplines converged upon a common conception of cognition and the generalized computational schema for predicting, retrodicting, manipulating, and explaining cognitive capacities. Each of the disciplinary summaries in the introductory chapters focuses upon those elements of that discipline that contribute to and converge upon this common conception of cognition and cognitive task performance.


1.5.d The Central Aim of Cognitive Science

As the material in the course will demonstrate decisively, cognitive scientists have elaborated and expanded the paradigm encapsulated in the above sections to provide tremendous insight into cognitive task performance of humans and many other animals for an enormous number of cognitive capacities. However, not every aspect of cognition has proven equally and obviously susceptible to such treatments. Cognitive science, of course, seeks to understand all aspects of mentality. As a result, whenever problems arise for the computational paradigm, the text will note these difficulties and current thinking about these areas.

1.5.e Integration of Four Different Theoretical Models

During the course of this chapter and lectures I have portrayed the ways in which cognitive science and cognitive scientists operate in exactly the same manner in which other scientists operate. However, one of the themes that will emerge repeatedly throughout the chapters and associated lectures is that predictions, retrodictions, manipulations, and explanations in cognitive science do differ somewhat from other sciences. Specifically, cognitive scientists predict, manipulate and explain cognitive task performance by creating and multiple models for their target system. Moreover, cognitive scientists use these models and their integration or lack thereof to explain both successful cognitive task performance and unsuccessful task performance.

Theoretic Models and their Integration in Cognitive Science



Animated diagram depicting the different models and integration of those models in prediction, retrodiction, manipulation, and explanation in cognitive science.

For now, I will merely outline the four types of theoretic models employed by cognitive scientists and how these models interact in predictions, manipulations, and explanations of cognitive task performance. The diagram (left) illustrates the four types of models employed by cognitive science and the contributions of each of those models. Firstly, one has the physical theory. In the case of human cognition, the physical theory usually encompasses the neuroscientific account of the relevant neuronal physiology, anatomy, and basic functioning. Thus, in the case of


the reflex arc theorists identify the afferent neurons, interneurons, and efferent neurons. Likewise, accounts of basic neuronal functioning indicate how the reflex arc operates. I call this the physical theory. The physical theory does what other physical theories do—it explains how physical work gets done. In looking at the physical theory for the reflex arc, theorists note that the reflex arc treats different levels of afferent neuron input differently. Thus, the system treats different states differently. Cognitive scientists model these changes in the physical system by creating types of states—different categories of states of the components in the physical system—and modeling the system’s behavior using these types. I call this the syntactic theory. Thus, theorists also describe the reflex arc in terms of inputs and outputs and the mechanisms by which the reflex arc exhibits a differential response. In employing the syntactic theory, cognitive scientists model the reflex arc in a manner that relates types of activity to other types of activity. As a result, the scientists can now model the physical state changes and the state-type changes. Next, theorists associate representational content with the types in the syntactic theory. I call this the representational theory. The representational theory allows scientists to model the state-type changes as information transformations.

In the case of the reflex arc, the actions of the system can now be understood as inferences from nociceptor information about changes in pressure, temperature, and/or cell integrity, first to assessments of threat and cell integrity, then to motor commands issued in response to threats to the affected area. Finally, theorists employ the epistemic theory to model how well and when the system correctly represents the information in the problem domain for the purposes of inference—to assess the goodness of the inference. In the reflex arc, the epistemic theory connects nociceptor functioning to the information relevant to this particular inference. The epistemic theory, then, shows how the reflex arc tends to function in a manner that correctly responds to real threats to cell integrity in the affected skin areas.

1.5.e Understanding When Models Converge and Diverge Cognitive Science as Science

On the view of predictive, manipulative, and explanatory structure advocated in this text and lectures, theoretic models predict and explain both successful cognition and failures of cognition. Theoretic models predict and explain successful cognition by showing how all of the theoretic models accurately predict the target phenomena; Each of the theoretic models have overlapping partial potential models and the target phenomena fail under those partial potential models. Thus, theoretic models predict, retrodict, manipulate, and explain successful cognition by illustrating the integration of the various descriptions and models of the system's functioning. Likewise, theoretic models in cognitive science explain failures of cognition by showing how one or more of the theoretic models does not predict the phenomena--by showing that the phenomena fall outside the partial potential model for one or more of the theoretic models. Thus, failures of cognition always find their predictive and explanatory source in a failure of one or more of the theoretic models.

Referring again to the reflex arc; failures of the reflex arc can occur under a number of situations that violate the syntactic, representational, and/or epistemic models, but which the physiological theory still accurately describes. For example, when noxious stimuli rise slowly in intensity the sensory neurons become less sensitive through a process called habituation. Likewise, in cases of slowly increasing and/or repeated or



sustained stimulus the threshold levels in the interneuron rise as well, delaying or even erasing the withdrawal response.

Communication between the sensory neurons and interneurons can be chemically blocked locally. One can block motor neuron signaling with a paralytic like curare. Many contemporary accounts of prediction, manipulation, and explanation suppose all such failures of computational accounts of cognitive functions trace back to the physical theory. However, higher order cognitive causes also lead to divergent partial potential models. For example, conscious inhibitory feedback can prevent the reflex arc from triggering a withdrawal response as well.

1.6 Key Terms

Afferent neurons: Sensory neurons that carry information into the central nervous system (CNS), i.e., towards the spinal cord and/or brain, all fall under the classification of afferent neurons. Discussions of afferent neurons almost always use somatosensory neurons in the skin (proprioceptors, mechanoreceptors providing spatial information about body parts and nociceptors that process pain and temperature). However, rods and cones (the photoreceptor cells in the eye), hair cells in the ear, taste buds, and olfactory receptor neurons.

Attributional theoretical models: Attributional theoretical models describe a unity or regularity manifested as attributes of objects, events, or relations within the domain. Thus, attributional models either assign attributes to phenomena or articulate the underlying basis for various attributes of phenomena. Examples of attributional theoretical models include hypotheses about chemical structure like “water is H₂O.” Radioactive half-life (the time that it takes for half of the atoms of a given element to decay) is also an attributional theoretic model. Likewise, the speed of light in a vacuum (i.e., 299,792,458 m/s) as well as the value of rate of gravitational acceleration near the Earth’s surface (i.e., 9.8 m/s²) are also attributional theories.

Categorization: Researchers develop categorizations of phenomena allowing them to differentiate, re-identify, and/or measure types of objects, events, properties, and relations within some phenomena. Categorizations gain generality by divorcing themselves from the fine details of individual cases to unite many instances under a common type (usually on the basis of their shared similarities in certain respects and to certain degrees). For instance, the category of *volume* picks out the size of a three-dimensional space within some container or boundary. Galileo, to cite another example, categorizes the phenomena of pendulum motion into arm-length, gravitational acceleration and periodicity.

Dynamical Theoretic Models: Dynamical theoretic models—often expressed in mathematical equations—represent the dynamical interactions (how elements of the phenomena interact with one another) and/or the development of domain elements over time (e.x. changes in the properties exhibited by objects, properties, events, or relations within the domain). Unified and regular dynamic interactions give rise to dynamical theoretical models. Examples of dynamical theoretic models include the ideal pendulum law, the ideal gas law, and Mendel’s Law of Dominance (one of the two factors for an inherited trait will determine the trait (be dominant) unless both factors are recessive. Galileo’s discovery of universal

Efferent neurons: All neurons that transmit information from the central nervous system (CNS) to glands and muscles fall under the category of efferent neurons.

Fundamental Categories: Fundamental categories consist of the set of categories considered essential and ineliminable to any adequate account of the phenomena in some domain. Within an ontological framework fundamental categories tend to specify the kinds of things and the kinds of changes considered legitimate (real) within the framework. Some examples of fundamental categories include elements in chemistry and forces in physics.

Interneurons: Interneurons form connections between two or more neurons. So, all the neurons in the CNS are interneurons.

Ontological frameworks: Ontological frameworks act to constrain and focus investigation in large part by providing a set of fundamental categories, generalized relationships, and methodological practices within which one can formulate meaningful questions and propose theoretic answers to those questions.

Operationalization: The methods and tools that facilitate systematic, reliable, and intersubjectively valid categorizations of phenomena fall under the moniker of operationalizations. Operationalizations work either qualitatively (yes/no, in/out categorizations) or quantitatively (measurement, increasing/decreasing categorizations). The increased systematic, rigorous, and intersubjective categorizations facilitated by operationalizations render both the categories and the theoretic models of a burgeoning science much less

vague and much more testable. Thus, the techniques and tools of measurement count as operationalizations. For instance, the use of thermometers allows one to accurately measure temperature. Biologists employ taxonomic criteria, like morphological, behavioural, genetic, and biochemical properties to operationalize species categorization.

Paradigm: Thomas Kuhn uses the concept of a paradigm in two general senses: On the one hand, Kuhn thinks of paradigms as exemplars--specific cases of scientific research having two important properties. Paradigms prove both "sufficiently unprecedented" and highly successful in treating some phenomena. At the same time paradigms exhibit unresolved problems and/or potential, providing the basis for further work to remedy difficulties and extend the central insights. (See *The Structure of Scientific Revolutions* p.10) Kuhn, however, resists any analysis of paradigms into a set of constitutive concepts, theories, instruments, methodologies, values, and similar explicit and tacit commitments. Though Kuhn acknowledges that these elements of paradigmatic cases unite and define practitioners with a given field, he views the tacit nature of these elements together with the variation in understanding and values among individual scientists as rendering such analyses difficult at best and unhelpful at worst.

Paradigmatic Case: In this text and lectures, paradigmatic case refers to paradigms in this sense of specific cases. Such specific (paradigmatic) cases include, at a minimum, three elements: categorizations of the targeted phenomena into kinds of objects, properties, events or relations; operationalizations—methods, techniques, operations, and/or instruments used to tie categorizations to the phenomena through qualitative or quantitative measurements that prove systematic, inter-subjective, and reliable; and theoretical models—structured combinations of categorizations that allow for prediction, retrodiction, manipulation, and explanation of target phenomena. Kuhn famously cites Copernicus' heliocentric model of the solar system as an example of a paradigmatic case. Galileo's discovery of uniform gravitational acceleration and quantification of the rate of acceleration likewise counts as a paradigmatic case.

Partial Potential Models: In this text the notion of partial potential models refers to the acceptable norms as to the appropriate representations for theoretic models, aspects of the physical system incorporated into the model, operationalizations, and uses of models for solving problems. Partial potential models dictate the nature and appropriate uses of theoretical models within the paradigm.

1.7 Bibliography

1. Cummins R. *The Nature of Psychological Explanation*. Boston, MA: Bradford/MIT Press; 1983.
2. Cummins R. "How does it work?" vs. "What are the laws?". 2000. In: *Two Conceptions of Psychological Explanation* [Internet]. Cambridge, MA: MIT Press; [117-45].
3. Cummins R. Functional Analysis. *The Journal of Philosophy*. 1975;72:741-65.
4. Cummins R. *Meaning and Mental Representation*. Cambridge, MA: MIT Press; 1989.
5. Cartwright N. Ceteris Paribus Laws and Socio-Economic Machines. *Monist*. 1995 07;78(3):276.
6. Wikipedia. Nancy Cartwright. Wikipedia [Internet]. 2014. Available from: http://en.wikipedia.org/wiki/Nancy_Cartwright_%28philosopher%29.
7. Giere RN. Philosophy of Science Naturalized. *Philosophy of Science*. 1985;52(0031-8248, 0031-8248):331--56.
8. Giere RN. *Explaining Science: A Cognitive Approach*. Chicago, IL: UNIV OF CHICAGO PR; 1988.
9. Giere RN. The Cognitive Structure of Scientific Theories. *Philosophy of Science*. 1994;61(2):276. PubMed PMID: 9501234056.
10. Wikipedia. Ronald Giere. Wikipedia [Internet]. 2014. Available from: http://en.wikipedia.org/wiki/Ronald_Giere.
11. Kuhn T. *The Structure of Scientific Revolutions*. Chicago, IL: University of Chicago Press; 1962.

12. Wikipedia. Thomas_Kuhn. Wikipedia [Internet]. 2014. Available from: http://en.wikipedia.org/wiki/Thomas_Kuhn.
13. Bird A. Thomas Kuhn. Stanford Encyclopedia of Philosophy [Internet]. 2013. Available from: <http://plato.stanford.edu/cgi-bin/encyclopedia/archinfo.cgi?entry=thomas-kuhn>.
14. Suppe F. The Semantic Conception of Theories and Scientific Realism. *Erkenntnis: An International Journal of Analytic Philosophy*. 1989;41(3):421--6.
15. Suppe F. Understanding Scientific Theories: An Assessment of Developments, 1969-1998. *Philosophy of Science*. 2000;67(3 Supplement):S102-S-15.
16. Wikipedia. Frederick Suppe. Wikipedia [Internet]. 2014. Available from: http://en.wikipedia.org/wiki/Frederick_Suppe.
17. Suppes P. Some Remarks on Problems and Methods in the Philosophy of Science. *Philosophy of Science*. 1954;21(0031-8248, 0031-8248):242--8.
18. Suppes P. A Comparison of the Meaning and Uses of Models in Mathematics and the Empirical Sciences. *Synthese: An International Journal for Epistemology, Methodology and Philosophy of Science*. 1960;12(0039-7857, 0039-7857):287--300.
19. Wikipedia. Patrick Suppes. Wikipedia [Internet]. 2014. Available from: http://en.wikipedia.org/wiki/Patrick_Suppes.
20. Van Fraassen BC. On the Extension of Beth's Semantics of Physical Theories. *Philosophy of Science*. 1970;37(0031-8248, 0031-8248):325--39.
21. Van Fraassen BC. *The Scientific Image*: Clarendon Press; 1980.
22. Wikipedia. Bas van Fraassen. Wikipedia [Internet]. 2014. Available from: http://en.wikipedia.org/wiki/Bas_van_Fraassen.
23. Nave CR. Phase Changes. HyperPhysics [Internet]. 2012. Available from: <http://hyperphysics.phy-astr.gsu.edu/hbase/thermo/phase.html>.
24. Wikipedia. Phase Transitions. Wikipedia [Internet]. 2017. Available from: https://en.wikipedia.org/wiki/Phase_transition.
25. Schnick JW. *Calculus-Based Physics I* 2008. Available from: <http://www.anselm.edu/internet/physics/cbphysics/downloads1.html>.
26. Laws KR, Neve C. A 'Normal' Category-specific Advantage for Naming Living Things. *Neuropsychologia*. 1999;37(11):1263-9. PubMed PMID: 1999-16009-005. PMID: 10530726. First Author & Affiliation: Laws, Keith R.
27. Martin A, Chao LL. Semantic Memory and the Brain: Structure and Processes. *Current Opinion in Neurobiology*. 2001;11(2):194-201. PubMed PMID: 2001-17553-007. PMID: 11301239. First Author & Affiliation: Martin, Alex.
28. Matthew ALR, Christine L, Timothy TR. Neural Basis of Category-specific Semantic Deficits for Living Things: Evidence from Semantic Dementia, HSVE and a Neural Network Model. *Brain: A Journal of Neurology*. 2007;130(4):1127-37. PubMed PMID: 25193949.
29. Binder JR, Desai RH. The Neurobiology of Semantic Memory. *Trends in Cognitive Sciences*. 2011;15(11):527-36. PubMed PMID: 66771730.
30. Baron-Cohen S. *Mindblindness: An essay on Autism and Theory of Mind*. Cambridge, MA US: The MIT Press; 1995.
31. Baron-Cohen S. The Evolution of a Theory of Mind. In: Corballis MC, Lea SEG, editors. *The descent of mind: Psychological perspectives on hominid evolution*. New York, NY US: Oxford University Press; 1999. p. 261-77.
32. Baron-Cohen S. Theory of Mind and Autism: A Review. In: Glidden LM, editor. *International review of research in mental retardation: Autism (vol 23)*. San Diego, CA US: Academic Press; 2001. p. 169-84.
33. Baron-Cohen S. The Evolution of Brain Mechanisms for Social Behavior. In: Crawford C, Krebs D, editors. *Foundations of evolutionary psychology*. New York, NY: Taylor & Francis Group/Lawrence Erlbaum Associates; 2008. p. 415-32.
34. Baron-Cohen S, Tager-Flusberg H, Cohen DJ. *Understanding Other Minds: Perspectives from Developmental Cognitive Neuroscience (2nd ed.)*. New York, NY US: Oxford University Press; 2000.
35. Frith CD, Frith U. Interacting Minds--A Biological Basis. *Science*. 1999 11/26/;286(5445):1692.
36. Gallese V, Goldman A. Mirror Neurons and the Simulation Theory of Mind-reading. *Trends in Cognitive Sciences*. 1998;2(12):493-501.
37. Gazzola V, Rizzolatti G, Wicker B, Keysers C. The Anthropomorphic Brain: The Mirror Neuron System Responds to Human and Robotic Actions. *NeuroImage*. 2007;35(4):1674-84. PubMed PMID: 24697292.

38. Hamilton AFdC, Brindley RM, Frith U. Imitation and Action Understanding in Autistic Spectrum Disorders: How Valid is the Hypothesis of a Deficit in the Mirror Neuron System? *Neuropsychologia*. 2007;45(8):1859-68.
39. Haxby JV, Hoffman EA, Gobbini MI. Human Neural Systems for Face Recognition and Social Communication. *Biological Psychiatry*. 2002;51(1):59-67.
40. Heberlein AS, Adolphs R, Harmon-Jones E, Winkielman P. Neurobiology of Emotion Recognition: Current Evidence for Shared Substrates. *Social neuroscience: Integrating biological and psychological explanations of social behavior*. New York, NY US: Guilford Press; 2007. p. 31-55.
41. Iacoboni M, Molnar-Szakacs I, Gallese V, Buccino G, Mazziotta J, & Rizzolatti G. Grasping the Intentions of Others with One's Own Mirror Neuron System. *PLoS Biology*. 2005;3(3):529-35.
42. Iacoboni MD, M. The Mirror Neuron System and the Consequences of its Dysfunction. *Nature Reviews: Neuroscience*. 2006;7:942-51.
43. McCarthy RJ, Skowronski JJ. What will Phil do Next?: Spontaneously Inferred Traits Influence Predictions of Behavior. *Journal of Experimental Social Psychology*. 2011;47(2):321-32. PubMed PMID: 58102647.
44. Rizzolatti G, Fadiga L, Gallese V, Fogassi L. Premotor Cortex and the Recognition of Motor Actions. *Cognitive Brain Research*. 1996;3(2):131-41.
45. Bargh JA, Chartrand TL. The Unbearable Automaticity of Being. *American Psychologist*. 1999;54(7):462. PubMed PMID: 2071417.
46. Archibald S. Ways of Seeing. *The Cabinet Magazine* [Internet]. 2008; (30). Available from: <http://www.cabinetmagazine.org/issues/30/archibald.php>.
47. Bordwell D. The Eye's Mind. *Observations on Film and Art* [Internet]. 2011 2014. Available from: <http://www.davidbordwell.net/blog/2011/02/06/the-eyes-mind/print/>.
48. Yarbus AL. *Eye Movements and Vision*. Wexler Free Library 1967. Available from: <http://wexler.free.fr/library/files/yarbus%20%281967%29%20eye%20movements%20and%20vision.pdf>.
49. Morand SM, Grosbras M-H, Caldara R, Harvey M. Looking Away From Faces: Influence of High-level Visual Processes on Saccade Programming. *Journal of Vision*. 2010;10(3). PubMed PMID: 2010-06969-001. PMID: 20377293. First Author & Affiliation: Morand, Stéphanie M.
50. Palermo R, Rhodes G. Are You Always on my Mind? A Review of How Face Perception and Attention Interact. *Neuropsychologia*. 2007;45(1):75-92. PubMed PMID: 2006-22475-008. PMID: 16797607. First Author & Affiliation: Palermo, Romina.
51. Simion F, Cassia VM, Turati C, Valenza E. The Origins of Face Perception: Specific Versus Non-specific Mechanisms. *Infant & Child Development*. 2001;10(1/2):59-65. PubMed PMID: 12063882.
52. Turati C, Valenza E, Leo I, Simion F. Three-month-olds' Visual Preference for Faces and its Underlying Visual Processing Mechanisms. *Journal of Experimental Child Psychology*. 2005;90(3):255-73. PubMed PMID: 17383790.
53. Bargh JA, Williams EL. The Automaticity of Social Life. *Current Directions in Psychological Science* (Wiley-Blackwell). 2006;15(1):1-4. PubMed PMID: 20396034.
54. Berkowitz L. Some Thoughts Extending Bargh's Argument. In: Wyer RS, Jr., editor. *The automaticity of everyday life: Advances in social cognition*, Vol 10. *Advances in social cognition*, Vol. 10; 0898-2007 (Print);. Mahwah, NJ US: Lawrence Erlbaum Associates Publishers; 1997. p. 83-94.
55. Berkowitz L, Jaffee S, Jo E, Troccoli BT. On the Correction of Feeling-induced Judgmental Biases. In: Forgas JP, editor. *Feeling and thinking: The role of affect in social cognition*. *Studies in emotion and social interaction*, second series. New York, NY US: Cambridge University Press; 2000. p. 131-52.
56. Einstein A, Born M. *The Born-Einstein Letters 1916-1955* San Francisco, CA The Internet Archive; 1971. Available from: <http://home.us.archive.org/details/TheBornEinsteinLetters>.
57. Averill B, Eldredge P. *General Chemistry: Principles, Patterns, and Applications*. Minneapolis, MN: Saylor Foundation; 2011. Available from: <https://open.umn.edu/opentextbooks/BookDetail.aspx?bookId=69>.
58. Helmenstine A. *How to Use The Periodic Table*. Science Notes [Internet]. 2015.
59. Wikipedia. *Periodic Table*. Wikipedia [Internet]. 2017. Available from: https://en.wikipedia.org/wiki/Periodic_table#Grouping_methods.
60. Wikipedia. *Noble Gas*. Wikipedia [Internet]. 2017. Available from: https://en.wikipedia.org/wiki/Noble_gas.
61. Wikipedia. *Gravitation*. Wikipedia [Internet]. 2013. Available from: <http://en.wikipedia.org/wiki/Gravitation>.
62. Wikipedia. *Electromagnetism*. Wikipedia [Internet]. 2013. Available from: <http://en.wikipedia.org/wiki/Electromagnetism>.

63. Wikipedia. Strong Interaction. Wikipedia [Internet]. 2013. Available from: http://en.wikipedia.org/wiki/Strong_interaction.
64. Wikipedia. Weak Interaction. Wikipedia [Internet]. 2013. Available from: http://en.wikipedia.org/wiki/Weak_interaction.
65. Wikipedia. James Clerk Maxwell. Wikipedia [Internet]. 2013. Available from: http://en.wikipedia.org/wiki/James_Clerk_Maxwell.
66. Maxwell JC. On Physical Lines of Force. Wikisource (originally published in Philosophy Magazine) [Internet]. 1861. Available from: http://en.wikisource.org/wiki/On_Physical_Lines_of_Force.
67. Maxwell JC. A Treatise on Electricity and Magnetism. Oxford: Clarendon Press; 1873. Available from: <http://www.archive.org/details/electricandmagne01maxwrich>.
68. Wikipedia. Hans Christian Ørsted. Wikipedia [Internet]. 2013. Available from: http://en.wikipedia.org/wiki/Hans_Christian_%C3%98rsted.
69. Ørsted HC. Experimenta Circa Effectum Conflictus Electrici in Acum Magneticam. Hafniae: Schultz; 1820.
70. Wikipedia. Micheal Faraday. Wikipedia [Internet]. 2012. Available from: http://en.wikipedia.org/wiki/Michael_Faraday.
71. Wikipedia. Humphry Davy. Wikipedia [Internet]. 2013. Available from: http://en.wikipedia.org/wiki/Humphry_Davy.
72. Wikipedia. Homopolar Motor. Wikipedia [Internet]. 2013. Available from: http://en.wikipedia.org/wiki/Homopolar_motor.
73. Wikipedia. Electromagnetic Induction. Wikipedia [Internet]. 2013. Available from: http://en.wikipedia.org/wiki/Electromagnetic_induction.
74. Wikipedia. Diamagnetism. Wikipedia [Internet]. 2013. Available from: <http://en.wikipedia.org/wiki/Diamagnetism>.
75. Wikipedia. Faraday Effect. Wikipedia [Internet]. 2013. Available from: http://en.wikipedia.org/wiki/Faraday_effect.
76. Baggot J. The Myth of Michael Faraday. New Scientist [Internet]. 1991. Available from: <http://www.newscientist.com/article/mg13117874.600-the-myth-of-michael-faraday-michael-faraday-was-not-justone-of-britains-greatest-experimenters-a-closer-look-at-the-man-and-hiswork-reveals-that-he-was-also-a-clever-theoretician-.html>.
77. Thompson SP. Michael Faraday: His Life and Work San Francisco, CA: Internet Archive (Originally Te MacMillan Company); 1898. Available from: <http://www.archive.org/stream/michaelfaradayhi00thom#page/n9/mode/2up>.
78. Wikipedia. Radioactive Decay. Wikipedia [Internet]. 2012. Available from: http://en.wikipedia.org/wiki/Radioactive_decay.
79. Wikipedia. Half-life. Wikipedia [Internet]. 2012. Available from: <http://en.wikipedia.org/wiki/Half-life>.
80. Wikipedia. Decay Chain. Wikipedia [Internet]. 2012. Available from: http://en.wikipedia.org/wiki/Decay_chain.
81. Wikipedia. Ideal Gas Law. Wikipedia [Internet]. 2014. Available from: http://en.wikipedia.org/wiki/Ideal_gas_law.
82. Wikipedia. Pendulum. Wikipedia [Internet]. 2014. Available from: <http://en.wikipedia.org/wiki/Pendulum>.
83. Wikipedia. Christiaan_Huygens. Wikipedia [Internet]. 2014. Available from: http://en.wikipedia.org/wiki/Christiaan_Huygens.
84. Wikipedia. John_Harrison. Wikipedia [Internet]. 2014. Available from: http://en.wikipedia.org/wiki/John_Harrison.
85. Wikipedia. Henry Kater. Wikipedia [Internet]. 2014. Available from: http://en.wikipedia.org/wiki/Henry_Kater.
86. Wikipedia. Léon Foucault. Wikipedia [Internet]. 2014. Available from: http://en.wikipedia.org/wiki/Jean_Bernard_L%C3%A9on_Foucault.
87. Anthony CL. Facial Attractiveness: Evolutionary Based Research. Philosophical Transactions of the Royal Society B: Biological Sciences. 2011;366(1571):1638-59. PubMed PMID: 60381628.
88. Bull R, Shead G. Pupil Dilation, Sex of Stimulus, and Age and Sex of Observer. Perceptual and Motor Skills. 1979;49(1):27-30. PubMed PMID: 1981-03268-001. First Author & Affiliation: Bull, Ray.
89. Bzdok D, Langner R, Caspers S, Kurth F, Habel U, Zilles K, et al. ALE Meta-analysis on Facial Judgments of Trustworthiness and Attractiveness. Brain Structure & Function. 2011;215(3-4):209-23. PubMed PMID: 2011-03999-005. First Author & Affiliation: Bzdok, D.

90. Fink B, Neave N, Manning JT, Grammer K. Facial Symmetry and Judgements of attractiveness, Health and Personality. *Personality & Individual Differences*. 2006;41(3):491-9. PubMed PMID: 21492500.
91. Hess EH. Attitude and Pupil Size. *Scientific American*. 1965;212(4):46-54. PubMed PMID: 1965-09555-001. First Author & Affiliation: Hess, Eckhard H.. Release Date: 19650401. Publication Type: Journal, (0100).
92. Hess EH. The Role of Pupil Size in Communication. *Scientific American*. 1975;233(5):110-9. PubMed PMID: 1976-09731-001. First Author & Affiliation: Hess, Eckhard H.
93. Korichi R, Pelle-de-Queral D, Gazano G, Aubert A. Relation Between Facial Morphology, Personality and the Functions of Facial Make-up in Women. *International Journal of Cosmetic Science*. 2011;33(4):338-45. PubMed PMID: 62181701.
94. Bronstad PM, Langlois JH, Russell R. Computational Models of Facial Attractiveness Judgments. *Perception*. 2008;37(1):126-42. PubMed PMID: 2008-04528-010. First Author & Affiliation: Bronstad, P. Matthew.
95. Bereczkei T, Gyuris P, Koves P, Bernath L. Homogamy, genetic similarity, and imprinting; parental influence on mate choice preferences. *Personality and Individual Differences*. 2002;33(5):677-90.
96. Gyuris P, Járai R, Bereczkei T. The Effect of Childhood Experiences on Mate Choice in Personality Traits: Homogamy and Sexual Imprinting. *Personality and Individual Differences*. 2010;49(5):467-72.
97. Havlicek J, Roberts SC. MHC-Related Mate Choice in Humans: A Review. *Psychoneuroendocrinology*. 2009;34(4):497-512. PubMed PMID: 37162023.
98. Kniffin KM, Wilson DS. The Effect of Nonphysical traits on the Perception of Physical Attractiveness: Three Naturalistic Studies. *Evolution and Human Behavior*. 2004;25(2):88-101. PubMed PMID: 2004-13727-002. First Author & Affiliation: Kniffin, Kevin M.
99. Little AC, Jones BC, Burt DM, Perrett DI. Preferences for Symmetry in Faces Change Across the Menstrual Cycle. *Biological Psychology*. 2007;76(3):209-16.
100. Little AC, Jones BC, DeBruine LM. Preferences for Variation in Masculinity in Real Male Faces Change Across the Menstrual Cycle: Women Prefer More Masculine Faces When They are More Fertile. *Personality and Individual Differences*. 2008;45(6):478-82.
101. Zaki J, Schirmer J, Mitchell JP. Social Influence Modulates the Neural Computation of Value. *Psychological Science*. 2011;22(7):894-900. PubMed PMID: 2011-15900-011. First Author & Affiliation: Zaki, Jamil.
102. Wikipedia. Three-body problem. Wikipedia [Internet]. 2014. Available from: http://en.wikipedia.org/wiki/Three-body_problem.
103. Chenciner A. Three_body problem. Scholarpedia [Internet]. 2007; 2(10). Available from: http://www.scholarpedia.org/article/Three_body_problem.
104. Cummins R. Scientific Theories as Toolboxes for Building Explanations. [manuscript]. In press 2012.
105. Wikipedia. Pál Ranschburg. Wikipedia [Internet]. 2014. Available from: http://de.wikipedia.org/wiki/Pál_Ranschburg.
106. Wikipedia. Tachistoscope. Wikipedia [Internet]. 2014. Available from: <http://en.wikipedia.org/wiki/Tachistoscope>.
107. Wikipedia. Null Hypothesis. Wikipedia [Internet]. 2013. Available from: http://en.wikipedia.org/wiki/Null_hypothesis.
108. Fisher RA. On the Mathematical Foundations of Theoretical Statistics. *Philosophical Transactions of the Royal Society of London Series A, Containing Papers of a Mathematical or Physical Character*. 1922;222:309-68.
109. Fisher RA. Statistical Methods for Research Workers [html]. Oxford England: Oliver & Boyd (original), Classics in the History of Psychology; 1925. Available from: <http://psychclassics.yorku.ca/Fisher/Methods/>.
110. Fisher RA. The Design of Experiments. Oxford England: Oliver & Boyd; 1935.
111. Galilei G. Letter of Galileo to Guido Ubaldo dal Monte, from Padua, dated 29 November 1602. In: Favaro A, editor. *Le opere di Galileo Galilei*. 10. Florence: Edizione Nazionale; 1900.
112. Galilei G. Dialogues on the Two Chief World Systems. In: Viviani V, Albri E, editors. *Le Opere Di Galileo Galilei*. 7. Forence: Edizione Nazionale; 1848.
113. Wikipedia. Pendulum. Wikipedia [Internet]. 2017. Available from: <https://en.wikipedia.org/wiki/Pendulum>.
114. J. L, G. A. The first man/machine interaction in medicine: the pulsilogium of Sanctorius. *Medical instrumentation*. 1979;13(1):61-3.
115. Wikipedia. Santorio Santorio. Wikipedia [Internet]. 2017. Available from: https://en.wikipedia.org/wiki/Santorio_Santorio.

116. Putnam B. Playing in Galileo's Lab (part 1) Cool Stuff Newsletter [Internet]. 2012. Available from: <http://www.arborsci.com/cool/playing-in-galileos-lab-part-1>.
117. Aristotle. Physics. In: Stevenson DC, editor. Physics. Boston, MA: The Internet Classics Archive; 350 B.C.E
118. Wikipedia. Centrifugal Force. Wikipedia [Internet]. 2017. Available from: https://en.wikipedia.org/wiki/Centrifugal_force.