

# DESIGN PATTERNS - OBSERVER PATTERN

[http://www.tutorialspoint.com/design\\_pattern/observer\\_pattern.htm](http://www.tutorialspoint.com/design_pattern/observer_pattern.htm)


Copyright © tutorialspoint.com

Observer pattern is used when there is one-to-many relationship between objects such as if one object is modified, its dependent objects are to be notified automatically. Observer pattern falls under behavioral pattern category.

## Implementation

Observer pattern uses three actor classes. Subject, Observer and Client. Subject is an object having methods to attach and detach observers to a client object. We have created an abstract class *Observer* and a concrete class *Subject* that is extending class *Observer*.

*ObserverPatternDemo*, our demo class, will use *Subject* and concrete class object to show observer pattern in action.



## Step 1

Create Subject class.

*Subject.java*

```
import java.util.ArrayList;
import java.util.List;

public class Subject {

    private List<Observer> observers = new ArrayList<Observer>();
    private int state;

    public int getState() {
        return state;
    }

    public void setState(int state) {
        this.state = state;
        notifyAllObservers();
    }
}
```

```

public void attach(Observer observer){
    observers.add(observer);
}

public void notifyAllObservers(){
    for (Observer observer : observers) {
        observer.update();
    }
}
}

```

## Step 2

Create Observer class.

*Observer.java*

```

public abstract class Observer {
    protected Subject subject;
    public abstract void update();
}

```

## Step 3

Create concrete observer classes

*BinaryObserver.java*

```

public class BinaryObserver extends Observer{

    public BinaryObserver(Subject subject){
        this.subject = subject;
        this.subject.attach(this);
    }

    @Override
    public void update() {
        System.out.println( "Binary String: " + Integer.toBinaryString( subject.getState() )
    );
    }
}

```

*OctalObserver.java*

```

public class OctalObserver extends Observer{

    public OctalObserver(Subject subject){
        this.subject = subject;
        this.subject.attach(this);
    }

    @Override
    public void update() {
        System.out.println( "Octal String: " + Integer.toOctalString( subject.getState() ) );
    }
}

```

*HexaObserver.java*

```

public class HexaObserver extends Observer{

    public HexaObserver(Subject subject){
        this.subject = subject;
        this.subject.attach(this);
    }
}

```

```
@Override
public void update() {
    System.out.println( "Hex String: " + Integer.toHexString( subject.getState()
).toUpperCase() );
}
}
```

## Step 4

Use *Subject* and concrete observer objects.

*ObserverPatternDemo.java*

```
public class ObserverPatternDemo {
    public static void main(String[] args) {
        Subject subject = new Subject();

        new HexaObserver(subject);
        new OctalObserver(subject);
        new BinaryObserver(subject);

        System.out.println("First state change: 15");
        subject.setState(15);
        System.out.println("Second state change: 10");
        subject.setState(10);
    }
}
```

## Step 5

Verify the output.

```
First state change: 15
Hex String: F
Octal String: 17
Binary String: 1111
Second state change: 10
Hex String: A
Octal String: 12
Binary String: 1010
```