

CHAPTER

8

OBJECTS AND CLASSES





Objects and Programs

- ❑ Java programs are made of objects that interact with each other
 - Each object is based on a class
 - A class describes a set of objects with the same behavior
- ❑ Each class defines a specific set of methods to use with its objects
 - For example, the String class provides methods:
 - Examples: `length()` and `charAt()` methods

```
String greeting = "Hello World";  
int len = greeting.length();  
char c1 = greeting.charAt(0);
```




Diagram of a Class

❑ Private Data

- Each object has its own private data that other objects cannot directly access
- Methods of the public interface provide access to private data, while hiding implementation details:
 - This is called Encapsulation

❑ Public Interface

- Each object has a set of methods available for other objects to use





8.2 Implementing a Simple Class

- ❑ **Example: Tally Counter:** A class that models a mechanical device that is used to count people
 - For example, to find out how many people attend a concert or board a bus
- ❑ **What should it do?**
 - Increment the tally
 - Get the current total





Tally Counter Class

- ❑ Specify instance variables in the class declaration:

```
public class Counter
{
    private int value;
    . . .
}
```

Each object of this class has a separate copy of this instance variable.

Type of the variable

Instance variables should always be private.

- ❑ Each object instantiated from the class has its own set of instance variables
 - Each tally counter has its own current count
- ❑ Access Specifiers:
 - Classes (and interface methods) are **public**
 - Instance variables are always **private**



Instantiating Objects



- ❑ Objects are created based on classes
 - Use the `new` operator to construct objects
 - Give each object a unique name (like variables)
- ❑ You have used the `new` operator before:

```
Scanner in = new Scanner(System.in);
```

- ❑ Creating two instances of Counter objects:

```
Class name      Object name      = new Class name  
Counter concertCounter = new Counter();  
Counter boardingCounter = new Counter();
```

Use the `new` operator to construct objects of a class.







Tally Counter Methods

- ❑ Design a method named `count` that adds 1 to the instance variable
- ❑ Which instance variable?
 - Use the name of the object
 - `concertCounter.count()`
 - `boardingCounter.count()`

concertCounter



boardingCounter



```
public class Counter
{
    private int value;

    public void count()
    {
        value = value + 1;
    }

    public int getValue()
    {
        return value;
    }
}
```



8.3 Public Interface of a Class

- ❑ When you design a class, start by specifying the public interface of the new class
 - Example: A Cash Register Class
 - What tasks will this class perform?
 - What methods will you need?
 - What parameters will the methods need to receive?
 - What will the methods return?

Task	Method	Returns
Add the price of an item	<code>addItem(double)</code>	void
Get the total amount owed	<code>getTotal()</code>	double
Get the count of items purchased	<code>getCount()</code>	int
Clear the cash register for a new sale	<code>clear()</code>	void



Writing the Public Interface

```
/**
 * A simulated cash register that tracks the item count
 * and the total amount due.
 */
public class CashRegister
{
    /**
     * Adds an item to this cash register.
     * @param price: the price of this item
     */
    public void addItem(double price)
    {
        // Method body
    }
    /**
     * Gets the price of all items in the current sale.
     * @return the total price
     */
    public double getTotal() ...
```

Javadoc style comments document the class and the behavior of each method

The method declarations make up the *public interface* of the class

The data and method bodies make up the *private implementation* of the class



Non-static Methods Means...

- ❑ We have been writing *class* methods using the **static** modifier:
`public static void addItem(double val)`
- ❑ For non-static (*instance*) methods, you must instantiate an object of the class before you can invoke methods

register1 =

CashRegister

- Then invoke methods of the object

`public void addItem(double val)`

```
public static void main(String[] args)
{
    // Construct a CashRegister object
    CashRegister register1 = new CashRegister();
    // Invoke a non-static method of the object
    register1.addItem(1.95);
}
```



Accessor and Mutator Methods

□ Many methods fall into two categories:

1) Accessor Methods: **'get'** methods

- Asks the object for information without changing it
- Normally return a value of some type

```
public double getTotal() { }  
public int getCount() { }
```

2) Mutator Methods: **'set'** methods

- Changes values in the object
- Usually take a parameter that will change an instance variable
- Normally return void

```
public void addItem(double price) { }  
public void clear() { }
```



Special Topic 8.1: Javadoc

- The Javadoc utility generates a set of HTML files from the Javadoc style comments in your source code
 - Methods document parameters and returns:
 - @param
 - @return

The screenshot shows a Mozilla Firefox browser window titled "CashRegister - Mozilla Firefox". The address bar shows the file path: file:///home/cay/books/bjoi/code/ch08/section_8_3/index.html. The page content is divided into two main sections. On the left, under "All Classes", there is a link for "CashRegister". On the right, under "Method Summary", there is a table listing methods of the CashRegister class.

Method Summary	
void	addItem (double price) Adds an item to this cash register.
void	clear () Clears the item count and the total.
int	getCount () Gets the number of items in the current register.
double	getTotal () Gets the price of all items in the current register.



8.4 Designing the Data Representation

- An object stores data in instance variables
 - Variables declared inside the class
 - All methods inside the class have access to them
 - Can change or access them
 - What data will our CashRegister methods need?

Task	Method	Data Needed
Add the price of an item	addItem()	total, count
Get the total amount owed	getTotal()	total
Get the count of items purchased	getCount()	count
Clear the cash register for a new sale	clear()	total, count

An object holds instance variables that are accessed by methods



Instance Variables of Objects

- Each object of a class has a separate set of instance variables.



register1 =

CashRegister

itemCount =
totalPrice =

The values stored in instance variables make up the **state** of the object.

register2 =

CashRegister

itemCount =
totalPrice =

Accessible only by CashRegister instance methods



Accessing Instance Variables

- ❑ **private** instance variables cannot be accessed from methods outside of the class

```
public static void main(String[] args)
{
    . . .
    System.out.println(register1.itemCount); // Error
    . . .
}
```

The compiler will not allow this violation of privacy

- ❑ Use accessor methods of the class instead!

```
public static void main(String[] args)
{
    . . .
    System.out.println( register1.getCount() ); // OK
    . . .
}
```

Encapsulation provides a public interface and hides the implementation details.



8.5 Implementing Instance Methods

- Implement instance methods that will use the private instance variables

```
public void addItem(double price)
{
    itemCount++;
    totalPrice = totalPrice + price;
}
```

Task	Method	Returns
Add the price of an item	addItem(double)	void
Get the total amount owed	getTotal()	double
Get the count of items purchased	getCount()	int
Clear the cash register for a new sale	clear()	void



Syntax 8.2: Instance Methods

- Use instance variables inside methods of the class
 - There is no need to specify the implicit parameter (name of the object) when using instance variables inside the class
 - Explicit parameters must be listed in the method declaration

```
public class CashRegister
{
    . . .
    public void addItem(double price)
    {
        itemCount++;
        totalPrice = totalPrice + price;
    }
    . . .
}
```

Explicit parameter

Instance variables of
the implicit parameter



Implicit and Explicit Parameters

- When an item is added, it affects the instance variables of the object on which the method is invoked

1 Before the method call.

register1 =

CashRegister

itemCount =

totalPrice =

2 After the method call register1.addItem(1.95).

The implicit parameter references this object.

The explicit parameter is set to this argument.

register1 =

CashRegister

itemCount =

totalPrice =

The object on which a method is applied is the *implicit* parameter



8.6 Constructors

- ❑ A *constructor* is a method that initializes instance variables of an object
 - It is automatically called when an object is created
 - It has exactly the same name as the class

```
public class CashRegister
{
    . . .
    /**
     Constructs a cash register with cleared item count and total.
    */
    public CashRegister() // A constructor
    {
        itemCount = 0;
        totalPrice = 0;
    }
}
```

Constructors never return values, but do not use **void** in their declaration



Multiple Constructors

- A class can have more than one constructor
 - Each must have a unique set of parameters

```
public class BankAccount
{
    . . .
    /**
     * Constructs a bank account with a zero balance.
     */
    public BankAccount( ) { . . . }
    /**
     * Constructs a bank account with a given balance.
     * @param initialBalance the initial balance
     */
    public BankAccount(double initialBalance) { . . . }
}
```

The compiler picks the constructor that matches the construction parameters.

```
BankAccount joesAccount = new BankAccount();
BankAccount lisasAccount = new BankAccount(499.95);
```



Syntax 8.3: Constructors

- One constructor is invoked when the object is created with the **new** keyword

A constructor has no return type, not even void.

```
public class BankAccount
{
    private double balance;

    public BankAccount()
    {
        balance = 0;
    }

    public BankAccount(double initialBalance)
    {
        balance = initialBalance;
    }
    . . .
}
```

A constructor has the same name as the class.

This constructor is picked for the expression `new BankAccount(499.95)`.



The Default Constructor

- ❑ If you do not supply any constructors, the compiler will make a default constructor automatically
 - It takes no parameters
 - It initializes all instance variables

```
public class CashRegister
{
    . . .
    /**
     * Does exactly what a compiler generated constructor would do.
     */
    public CashRegister()
    {
        itemCount = 0;
        totalPrice = 0;
    }
}
```

By default, numbers are initialized to 0, booleans to false, and objects as null.



CashRegister.java

```
1  /**
2   A simulated cash register that tracks the items in the current sale and
3   the total amount due.
4  */
5  public class CashRegister
6  {
7   private int itemCount;
8   private double totalPrice;
9
10 /**
11  Constructs a cash register with cleared item count and total price.
12 */
13 public CashRegister()
14 {
15     itemCount = 0;
16     totalPrice = 0;
17 }
18
19 /**
20 Adds an item to this cash register.
21 @param price the price of this item
22 */
23 public void addItem(double price)
24 {
25     itemCount++;
26     totalPrice = totalPrice + price;
27 }
28
29 /**
30 Gets the price of all items in the current sale.
31 @return the total amount
32 */
33 public double getTotal()
34 {
35     return totalPrice;
36 }
37
38 /**
39 Gets the number of items in the current sale.
40 @return the item count
41 */
42 public int getCount()
43 {
44     return itemCount;
45 }
46
47 /**
48 Clears the item count and the total.
49 */
50 public void clear()
51 {
52     itemCount = 0;
53     totalPrice = 0;
54 }
55 }
```



Common Error 8.1



- ❑ Not initializing object references in constructor
 - References are by default initialized to **null**
 - Calling a method on a null reference results in a runtime error: **NullPointerException**
 - The compiler catches uninitialized local variables for you

```
public class BankAccount
{
    private String name;    // default constructor will set to null

    public void showStrings()
    {
        String localName;
        System.out.println(name.length());
        System.out.println(localName.length());
    }
}
```

Runtime Error:
java.lang.NullPointerException

Compiler Error: variable localName might not have been initialized



Common Error 8.2



❑ Trying to Call a Constructor

- You cannot call a constructor like other methods
- It is 'invoked' for you by the new reserved word

```
CashRegister register1 = new CashRegister();
```

- You cannot invoke the constructor on an existing object:

```
register1.CashRegister(); // Error
```

- But you can create a new object using your existing reference

```
CashRegister register1 = new CashRegister();  
register1.newItem(1.95);  
CashRegister register1 = new CashRegister();
```



Common Error 8.3



- ❑ Declaring a Constructor as void
 - Constructors have no return type
 - This creates a method with a return type of `void` which is NOT a constructor!
 - The Java compiler does not consider this an error

```
public class BankAccount
{
    /**
     * Intended to be a constructor.
     */
    public void BankAccount( )
    {
        . . .
    }
}
```

Not a constructor.... Just another method that returns nothing (void)



Special Topic 8.2



□ Overloading

- We have seen that multiple constructors can have exactly the same name
 - They require different lists of parameters
- Actually any method can be overloaded
 - Same method name with different parameters

```
void print(CashRegister register)    { . . . }  
void print(BankAccount account)    { . . . }  
void print(int value)               { . . . }  
Void print(double value)           { . . . }
```

- We will not be using overloading in this book
 - Except as required for constructors



8.7 Testing a Class

- ❑ We wrote a `CashRegister` class but...
 - You cannot execute the class – it has no `main` method
- ❑ It can become part of a larger program
 - Test it first though with **unit testing**
- ❑ To test a new class, you can use:
 - Programming tools that interactively create objects:
 - DrJava: www.drjava.org
 - BlueJ: www.bluej.org
 - Or write a tester class:
 - With a `main`

```
public class CashRegisterTester
{
    public static void main(String[] args)
    {
        CashRegister c1 = new CashRegister();
        ...
    }
}
```



CashRegisterTester.java

```
1  /**
2   * This program tests the CashRegister clas
3   */
4  public class CashRegisterTester
5  {
6      public static void main(String[] args)
7      {
8          CashRegister register1 = new CashRegister();
9          register1.addItem(1.95);
10         register1.addItem(0.95);
11         register1.addItem(2.50);
12         System.out.println(register1.getCount());
13         System.out.println("Expected: 3");
14         System.out.printf("%.2f\n", register1.getTotal());
15         System.out.println("Expected: 5.40");
16     }
17 }
```

Program Run

```
3
Expected: 3
5.40
Expected: 5.40
```

- Test all methods
 - Print expected results
 - Output actual results
 - Compare results

A unit test verifies that a class works correctly in isolation, outside a complete program.



Steps to Implementing a Class

1) Get an informal list of responsibilities for your objects

*Display the menu.
Get user input.*

2) Specify the public interface

```
public Menu();  
public void addOption(String option);  
public int getInput()
```

3) Document the public interface

- Javadoc comments

```
/**  
    Adds an option to the end of this menu.  
    @param option the option to add  
*/
```



Steps to Implementing a Class

4) Determine the instance variables

```
private ArrayList<String> options;
```

5) Implement constructors and methods

```
public void addOption(String option)
{
    options.add(option);
}
```

6) Test your class




8.8 Problem Solving: Tracing Objects

- Use an Index card for each object



front



back

- An object is manipulated through the public interface (front of the card)
- The encapsulated data is on the back of the card



8.9 Problem Solving

Patterns for Object Data

- ❑ Common patterns when designing instance variables
 - Keeping a Total
 - Counting Events
 - Collecting Values
 - Managing Object Properties
 - Modeling Objects with Distinct States
 - Describing the Position of an Object



Patterns: Keeping a Total

□ Examples

- Bank account balance
- Cash Register total
- Car gas tank fuel level

□ Variables needed

- Total (`totalPrice`)

□ Methods Required

- Add (`addItem`)
- Clear
- `getTotal`

```
public class CashRegister
{
    private double totalPrice;

    public void addItem(double price)
    {
        totalPrice += price;
    }
    public void clear()
    {
        totalPrice = 0;
    }
    public double getTotal()
    {
        return totalPrice;
    }
}
```



Patterns: Counting Events

- ❑ Examples
 - Cash Register items
 - Bank transaction fee
- ❑ Variables needed
 - Count
- ❑ Methods Required
 - Add
 - Clear
 - Optional: getCount

```
public class CashRegister
{
    private double totalPrice;
    private int itemCount;
    public void addItem(double price)
    {
        totalPrice += price;
        itemCount++;
    }
    public void clear()
    {
        totalPrice = 0;
        itemCount = 0;
    }
    public double getCount()
    {
        return itemCount;
    }
}
```



Patterns: Collecting Values

- ❑ Examples
 - Multiple choice question
 - Shopping cart
- ❑ Storing values
 - Array or ArrayList
- ❑ Constructor
 - Initialize to empty collection
- ❑ Methods Required
 - Add

```
public class Cart
{
    private String[] items;
    private int itemCount;
    public Cart() // Constructor
    {
        items = new String[50];
        itemCount = 0;
    }
    public void addItem(String name)
    {
        if(itemCount < 50)
        {
            items[itemCount] = name;
            itemCount++;
        }
    }
}
```



Patterns: Managing Properties

A property of an object can be set and retrieved

□ Examples

- Student: name, ID

□ Constructor

- Set a unique value

□ Methods Required

- set
- get

```
public class Student
{
    private String name;
    private int ID;
    public Student(int anID)
    {
        ID = anID;
    }
    public void setName(String newname)
    {
        if (newName.length() > 0)
            name = newName;
    }
    public getName()
    {
        return name;
    }
}
```



Patterns: Modeling Stateful Objects

Some objects can be in one of a set of distinct states.

□ Example: A fish

■ Hunger states:

- Somewhat Hungry
- Very Hungry
- Not Hungry

□ Methods will change the state

- eat
- move



```
public class Fish
{
    private int hungry;
    public static final int
        NOT_HUNGRY = 0;
    public static final int
        SOMEWHAT_HUNGRY = 1;
    public static final int
        VERY_HUNGRY = 2;

    public void eat()
    {
        hungry = NOT_HUNGRY;
    }
    public void move()
    {
        if (hungry < VERY_HUNGRY)
            { hungry++; }
    }
}
```



Patterns: Object Position

□ Examples

- Game object
- Bug (on a grid)
- Cannonball


□ Storing values

- Row, column, direction, speed. . .

□ Methods Required

- move
- turn

```
public class Bug
{
    private int row;
    private int column;
    private int direction;
    // 0 = N, 1 = E, 2 = S, 3 = W
    public void moveOneUnit()
    {
        switch(direction) {
            case 0: row--; break;
            case 1: column++; break;
            . . .
        }
    }
}
```






8.10 Object References

- Objects are similar to arrays because they always have reference variables


- Array Reference

```
double[] values = new double[5];
```



- Object Reference

```
CashRegister reg1 = new CashRegister;
```




An object reference specifies the *memory location* of the object




Shared References

- Multiple object variables may contain references to the same object.

- Single Reference






```
CashRegister reg1 = new CashRegister;
```



- Shared References

```
CashRegister reg2 = reg1;
```



The internal values can be changed through either reference



Primitive versus Reference Copy

- ❑ Primitive variables can be copied, but work differently than object references




- Primitive Copy
 - Two locations

```
int num1 = 0;  
int num2 = num1;  
num2++;
```

Reference Copy

One location for both

```
CashRegister reg1 = new CashRegister;  
CashRegister reg2 = reg1;  
reg2.addItem(2.95);
```



Why? Primitives take much less storage space than objects!



The `null` reference

- ❑ A reference may point to 'no' object
 - You cannot invoke methods of an object via a `null` reference – causes a run-time error

```
CashRegister reg = null;  
System.out.println(reg.getTotal()); // Runtime Error!
```


- To test if a reference is `null` before using it:

```
String middleInitial = null; // No middle initial  
  
if (middleInitial == null)  
    System.out.println(firstName + " " + lastName);  
else  
    System.out.println(firstName + " " + middleInitial + ". "  
        + lastName);
```



The `this` reference

- Methods receive the ‘implicit parameter’ in a reference variable called ‘`this`’
 - It is a reference to the object the method was invoked on:



- It can clarify when instance variables are used:

```
void addItem(double price)
{
    this.itemCount++;
    this.totalPrice = this.totalPrice + price;
}
```



Constructor `this` reference

- Sometimes people use the `this` reference in constructors
 - It makes it very clear that you are setting the instance variable:

```
public class Student
{
    private int id;
    private String name;
    public Student(int id, String name)
    {
        this.id = id;
        this.name = name;
    }
}
```



8.11 Static Variables and Methods

- Variables can be declared as **static** in the Class declaration
 - There is one copy of a **static** variable that is shared among all objects of the Class

```
public class BankAccount
{
    private double balance;
    private int accountNumber;
    private static int lastAssignedNumber = 1000;

    public BankAccount()
    {
        lastAssignedNumber++;
        accountNumber = lastAssignedNumber;
    }
    . . .
}
```



Methods of any object of the class can use or change the value of a static variable



Using Static Variables

collegeFund =

BankAccount

balance = 10000
accountNumber = 1001

Each BankAccount object has its own accountNumber instance variable.

momsSavings =

BankAccount

balance = 8000
accountNumber = 1002

harrysChecking =

BankAccount

balance = 0
accountNumber = 1003

- Example:
 - Each time a new account is created, the `lastAssignedNumber` variable is incremented by the constructor
- Access the **static** variable using:
 - `ClassName.variableName`

BankAccount.lastAssignedNumber =

There is a single `lastAssignedNumber` static variable for the BankAccount class.



Using Static Methods

- ❑ The Java API has many classes that provide methods you can use without instantiating objects
 - The Math class is an example we have used
 - `Math.sqrt(value)` is a **static** method that returns the square root of a value
 - You do not need to instantiate the Math class first
- ❑ Access **static** methods using:
 - `ClassName.methodName()`



Writing your own Static Methods

- You can define your own `static` methods

```
public class Financial
{
    /**
     * Computes a percentage of an amount.
     * @param percentage the percentage to apply
     * @param amount the amount to which the percentage is applied
     * @return the requested percentage of the amount
     */
    public static double percentOf(double percentage, double amount)
    {
        return (percentage / 100) * amount;
    }
}
```

`static` methods usually return a value. They can only access `static` variables and methods.

- Invoke the method on the Class, not an object

```
double tax = Financial.percentOf(taxRate, total);
```



Summary: Classes and Objects

- A class describes a set of objects with the same behavior.
 - Every class has a public interface: a collection of methods through which the objects of the class can be manipulated.
 - Encapsulation is the act of providing a public interface and hiding the implementation details.
 - Encapsulation enables changes in the implementation without affecting users of a class



Summary: Variables and Methods

- ❑ An object's instance variables store the data required for executing its methods.
- ❑ Each object of a class has its own set of instance variables.
- ❑ An instance method can access the instance variables of the object on which it acts.
- ❑ A private instance variable can only be accessed by the methods of its own class.
- ❑ Variables declared as `static` in a class have a single copy of the variable shared among all of the instances of the class.



Summary: Method Headers, Data

❑ Method Headers

- You can use method headers and method comments to specify the public interface of a class.
- A mutator method changes the object on which it operates.
- An accessor method does not change the object on which it operates.

❑ Data Declaration

- For each accessor method, an object must either store or compute the result.
- Commonly, there is more than one way of representing the data of an object, and you must make a choice.
- Be sure that your data representation supports method calls in any order.



Summary: Parameters, Constructors

❑ Methods Parameters

- The object on which a method is applied is the implicit parameter.
- Explicit parameters of a method are listed in the method declaration.

❑ Constructors

- A constructor initializes the object's instance variables
- A constructor is invoked when an object is created with the `new` operator.
- The name of a constructor is the same as the class
- A class can have multiple constructors.
- The compiler picks the constructor that matches the construction arguments.